FORM 3	~~s	TATE OF UTAH					
	DIVISION OF OIL, GAS AND MINING  5. Lease Designation and Serial Number:  :ML-47795						
APPLIC	ATION FOR PER	MIT TO DRILL C	R DEEPEN	6. If Indian, Allottee or Tribe Name: $N/A$			
IA. Type of Work: DR	RILL 🛛	7. Unit Agreement Name: Drunkards Wash UTU-67921X					
3. Type of Well: OIL	GAS OTHER Water I	Disposal SINGLE ZONE	MULTIPLE ZONE	8. Farm or Lease Name: Utah			
2. Name of Operator: Riv	er Gas Corporation			• 9. Well Number: 02-404			
3. Address and Telephone Num		East, Price, UT 84	4501 (435)637-88	10. Field or Pool, or Wildcat: Drunkards Wash			
4. Location of Well (Footages)  At Surface: 1077'  At Proposed Producing 2	FNL, 1644.3' FWL	11 207	<del> </del>	NE/4,NW/4 Section 2, T14S, R9E, . SLB&M			
	on from nearest town or post office th of Price, Utah	CUN	FIDENTIAL.	12. County: 13. State: UTAH			
15. Distance to nearest property or lease line (feet):	1077"	16. Number of acres in lease: 645.7 acres		17. Number of acres assigned to this well: 160 acres			
<ol> <li>Distance to nearest well, dri completed, or applied for, or</li> </ol>	lling, h this lease (feet): 2050°	19. Proposed Depth: 2760'		20. Rotary or cable tools:			
$^{21.}$ Elevations (show whether D $5601.2^{\prime}~GR$	F, RT, GR, etc.):			22. Approximate date work will start:  May 2000			
23.	PROP	OSED CASING AND	CEMENTING PR	OGRAM			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT			
15"	12-3/4"	Conductor	40'	110 sks G+2%CaCl+1/4#per sack flocel			
11"	J-55 8-5/8"	24#/ft	280'	240 sks 50/50poz8%gel+2%CaCl+10%extender			
7-7/8"	N-80 5-1/2"	17#/ft	2.790'	85 sks "G" thixotropic			
	RAM: If proposal is to deepen, give ured and true vertical depths. Give			cone. If proposal is to drill or deepen directionally, give pertinent data on			

SEP 2 0 1999

DIV. OF OIL, GAS & MINING

24.	
Name & Signature: Cal Hurtt Cal Gutt	Title: Development Manager Date: 9/9/99
(This space for state use only)  API Number Assigned: 43 - 007 30608	Approved by the Utah Division of
API Number Assigned: 43 001 000	Utah Division of Oil, Gas and Mining

(See Instructions on Reverse Side)

(1/93)

# Range 9 East N 89'54'57" W - 2629.2' S 89'54'59" W - 2650.8' (N 89'54' W - 2638.7' (S 89°57' W - 2651.9') North West Quarter Drill hole 02-404 1077.0' Elevation 5601.2' 2939.0') 1644.3' UTM 4388000.2 509604.0 (North Jourship (East - 5319.6') Legend **Drill Hole Location** C.C. Carbon County Monument (Aluminum Cap) **Brass Cap (Found)** Brass Cap (Searched for, but not found) **Calculated Corner** ) GLO **GPS Measured**

#### Location:

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office or Carbon County. The well location was determined using a Trimble 4700 GPS survey grade unit.

#### Basis of Elevation:

Basis of Elevation of 5875' being at the Northeast Section Corner of Section 2, Township 14 South, Range 9 East, Salt Lake Base and Meridian.

#### Description of Location:

Proposed Drill Hole located in the NW1/4 NWE1/4 of Section 2, T14S, R9E, SLB&M, being 1079.5' South and 906.5' East from the Northwest Section Corner of Section 2, T14S, R9E, Salt Lake Base & Meridian.

#### Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.





GRAPHIC SCALE

( IN FEET )
1 inch = 1000 ft.



Taion Resources, Inc. 375 South Carbon Avenue, Sulte 126 Price, Utah 84501 Ph: 435-637-5032 ext. 711 Fax: 435-748-5085

# RIVER GAS CORPORATION WELL # 02-404

Section 2, T14S, R9E, S.L.B.&M. Carbon County, Utah

Drawn By: D. Robertson	Checked By: L.W.J. Date: B/9/99				
Drawing No.					
A-1	1" = 1000'				
20mm 1 or 4	Jeb Ne. 015				




#### RIVER GAS CORPORATION

UTAH OPERATIONS 1305 South 100 East Price, Utah 84501 Bus. (435) 637-8876 FAX (435) 637-8924

September 16, 1999

Mr. John Baza State of Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 SLC, Utah 84114-5801

RE: Application for Permit to Drill-Utah 2-404, NE/4 NW/4 Sec.2 T14S, R9E, SLB & M, Carbon County, Utah



Dear Mr. Baza:

Enclosed is the original of the *Application for Permit to Drill* (APD). Included with the APD is the following information:

Exhibit "A"- Survey Plat of the Proposed Well Site;

Exhibit "B" - Proposed Location Map with Pipeline, Power, and Road Access;

Exhibit "C" - Drilling Site Layout;

Exhibit "D" - Drilling Information

Exhibit "E" - Multipoint Surface Use Plan

Exhibit "F" - Typical Road Cross-section;

Exhibit "G" - BOP Diagram;

Exhibit "H" - Typical Wellhead Manifold;

Exhibit "I" - Evidence of Bond;

ORIGINAL

CONFIDENTIAL

Please accept this letter as River Gas Corporation's written request for confidential treatment of all information contained in and pertaining to this permit application, if said information is eligible for such consideration.

This well is located further than 460' from the exterior boundary of the Drunkards Wash Federal Unit and from the boundary of any uncommitted tract within the Drunkards Wash Federal Unit and will not require the administrative approval in accordance with Utah Administrative Code Rule R649-3-3.

Thank you very much for your timely consideration of this application. Please feel free to contact me if you have any questions.

Sincerely,

Cal Hurtt

Development Manager

cc: Mr. Eric Jones, BLM, Moab, Utah

Mr. Chuck Snure, Texaco

Mr. Joe Coughlin, Dominion Resources

Mr. Don Stephens, BLM, Price, Utah

Mrs. Tammie Butts, River Gas Corporation

Mr. Dave Lavanger, Carbon County Planning and Zoning

RGC Well File

# EXHIBIT "D" DRILLING PROGRAM

Attached to Form 3
River Gas Corp.
Utah 02-404
NE/4, NW/4, Sec. 2, T14S, R9E, SLB & M
1077' FNL, 1644.3' FWL
Carbon County, Utah

#### 1. The Surface Geologic Formation

Mancos Shale

#### 2. Estimated Tops of Important Geologic Markers

Blue Gate/Ferron 2250'

## 3. Projected Gas & H2O zones (Ferron Formation)

Coals and sandstones 2280' - 2410' (TD 2750')

No groundwater is expected to be encountered.

Casing & cementing will be done to protect potentially productive hydrocarbons, lost circulation zones, abnormal pressure zones, and prospectively valuable mineral deposits. All indications of usable water will be reported.

Surface casing will be tested to 1400 psi.

#### 4. The Proposed Casing and Cementing Programs

HOLE	SETTING DEPTH	SIZE V	VEIGHT,GRADE	NEW,
SIZE	(INTERVAL)	(OD)	<u>&amp; JOINT</u>	<u>USED</u>
15"	40'	12-3/4"	Conductor	New
11"	275' .	8-5/8"	24#LT&C	New
7-7/8"	2740'	5-1/2"	17#LT&C	New

#### Cement Program - Every attempt will be made to bring cement back to surface.

Surface Casing:

110 sks G+2%CaCl+1/4#per sack flocel;15.8#/gal,density,

1.15 cu.ft/sk yield.

**Production Casing:** 

240 sks 50/50 poz 8%gel +2%CaCİ+10%extender;12.5#/gal,

density, 1.92 cu.ft/sk yield.

85 sks "G" thixotropic, 14.2#/gal density, 1.61 cu.ft/sk yield.

#### The following shall be entered in the driller's log:

- 1) Blowout preventer pressure tests, including test pressures and results;
- 2) Blowout preventer tests for proper functioning;
- 3) Blowout prevention drills conducted;
- 4) Casing run, including size, grade, weight, and depth set;
- 5) How the pipe was cemented, including amount of cement, type, whether cement circulated, location of the cementing tools, etc.;
- 6) Waiting on cement time for each casing string;
- 7) Casing pressure tests after cementing, including test pressures and results.

#### 5. The Operator's Minimum Specifications for Pressure Control

Exhibit "G" is a schematic diagram of the blowout preventer equipment. A double gate 3000 psi BOPE will be used with a rotating head. This equipment will be tested to 2000 psi. All tests will be recorded in a Driller's Report Book. Physical operation of BOP's will be checked on each trip.

#### 6. The Type and Characteristics of the Proposed Circulating Muds

0-300 11" hole

Drill with air, will mud-up if necessary.

300-TD

7 7/8" hole

Drill with air.

400 psi @ 1500-1800 Scf.

#### 7. The Testing, Logging and Coring Programs are as followed

300-TD

Gamma Ray, Density, Neutron Porosity, Induction, Caliper

#### Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well. Bottom hole pressure expected is 1400 psi max. No hydrogen sulfide or other hazardous gases or fluids have been found, reported or are known to exist at these depths in the area.


## 8. Anticipated Starting Date and Duration of the Operations.

The well will be drilled around May 2000.

Verbal and/or written notifications listed below shall be submitted in accordance with instructions from the Division of Oil, Gas & Mining:

- (a) prior to beginning construction;
- (b) prior to spudding;
- (c) prior to running any casing or BOP tests;
- (d) prior to plugging the well, for verbal plugging instructions.

Spills, blowouts, fires, leaks, accidents or other unusual occurrences shall be reported to the Division of Oil, Gas & Mining immediately.



# EXHIBIT "E" MULTIPOINT SURFACE USE PLAN

Attached to Form 3
River Gas Corp.
Utah 02-404
NE/4, NW/4, Sec. 2, T14S, R9E, SLB & M
1077' FNL, 1644.3' FWL
Carbon County, Utah

#### 1. Existing Roads

- a. We do not plan to change, alter or improve upon any existing state or county roads.
- b. Existing roads will be maintained in the same or better condition. See Exhibit "B".

#### 2. Planned Access

Approximately 2900' of new access is required (See Exhibit "B")

- a. Maximum Width: 20' travel surface with 27' base
- b. Maximum grade: 6%
- c. Turnouts: None
- d. Drainage design: (undetermined) culverts may be required. Water will be diverted around well pad as necessary.
- e. If the well is productive, the road will be surfaced and maintained as necessary to prevent soil erosion and accommodate year-round traffic.
- f. Pipe and Power lines will follow the proposed access road.

#### 3. Location of Existing Wells

a. See Exhibit "B". There are 5 proposed and 0 existing wells within a one mile radius of the proposed location.

#### 4. Location of Existing and/or Proposed Facilities

- a. If the well is a producer, installation of production facilities will be as shown on Exhibit "H". Buried powerlines run along access on the east and north, gathering lines on the south or west.
- b. Rehabilitation of all pad areas not used for production facilities will be made in accordance with landowner stipulations.

#### 5. Location and Type of Water Supply

- a. Water to be used for drilling will be purchased from the Price River Water Improvement District (a local source of municipal water) (tel. 435-637-6350).
- b. Water will be transported by truck over approved access roads.
- c. No water well is to be drilled for this location.

#### 6. Source of Construction Materials

- a. Any necessary construction materials needed will be obtained locally and hauled to the location on existing roads.
- b. No construction or surfacing materials will be taken from Federal/Indian land.

#### 7. Methods for handling waste disposal

- a. As the well will be air drilled, a small reserve pit will be constructed with a minimum of one-half the total depth below the original ground surface on the lowest point within the pit. The pit will not be lined unless conditions encountered during construction warrant it or if deemed necessary by the DOGM representative during the pre-site inspection. Three sides of the reserve pit will be fenced within 24 hours after completion of construction and the fourth side within 24 hours after drilling operation cease with woven wire topped with barbed wire to a height of not less than four feet. The fence will be kept in good repair while the pit is drying.
- b. Following drilling, the liquid waste will be evaporated from the pit and the pit back-filled and returned to natural grade. No liquid hydrocarbons will be discharged to the reserve pit or location.
- c. In the event fluids are produced, any oil will be retained in tankage until sold and any water produced will be retained until its quality can be determined. The quality and quantity of the water will determine the method of disposal.
- d. Trash will be contained in a portable metal container and will be hauled from location periodically and disposed of at an approved disposal site. Chemical toilets will be placed on location and sewage will be disposed of at an appropriate disposal site.

#### 8. Ancillary Facilities

a. We anticipate no need for ancillary facilities with the exception of one trailer to be located on the drill site.

#### 9. Wellsite Layout

- a. Available topsoil will be removed from the location and stockpiled. Location of mud tanks, reserve and berm pits, and soil stockpiles will be located as shown on the attachments.
- b. A blooie pit will be located 100' from the drill hole. A line will be placed on the surface from the center hole to the pit. The pit will not be lined, but will be fenced on four sides to protect livestock/wildlife.
- c. Access to the well pad will be as shown on Exhibit "B".
- d. Natural runoff will be diverted around the well pad.

#### 10. Plans for Restoration of Surface

- a. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum.
- b. Available topsoil will be stockpiled and will be evenly distributed over the disturbed areas and the area will be reseeded as prescribed by the landowner.
- c. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.

#### 11. Surface Ownership:

a. The wellsite and access road will be constructed on lands managed by The Bureau of Land Management. The operator shall contact the BLM authorized Officer representative and the Division of Oil, Gas and mining 48 hours prior to beginning construction activities.

#### 12. Other Information:

- a. The primary surface use is farming and grazing. The nearest dwelling is approximately 6400 feet northeast
- b. Nearest live water is Carbon Canal, 400' north.
- c. If there is snow on the ground when construction begins, it will be removed before the soil is disturbed and piled downhill from the topsoil stockpile location.
- d. The backslope and foreslope will be constructed no steeper than 4:1.
- e. All equipment and vehicles will be confined to the access road and well pad.
- f. A complete copy of the approved Application for Permit to Drill (APD) including conditions and stipulations, shall be on the wellsite during construction and drilling operations

There will be no deviation from the proposed drilling and/or workover program without prior approval from the Division of Oil, Gas & Mining.

#### 13. Company Representative

Cal Hurtt Development Manager River Gas Corporation 1305 So. 100 E. Price, Utah 84501 (435) 637-8876 (435) 820-8557

Mail Approved A.P.D. To:

Company Representative

**Excavation Contractor** 


Nelco Contractors Inc. Larry Jensen (435) 637-3495 (435) 636-5268

#### 14. Certification

I hereby certify that I, or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct, and that the work associated with the operations proposed herein will be performed by River Gas Corp. and its subcontractors in conformity with this plan and the terms and conditions under which it is approved.

Cal Hurtt

Development Manager River Gas Corporation



Elevation Ungraded Ground at Location Stake = 5601.2' Elevation Graded Ground At Location Stake = 5600.7'








Talon Resources, Inc. 375 South Carbon Avenue, Suite 126 Price, Utah 84501 Ph: 435-637-5032 ext. 711 Fax: 435-748-5085


RIVER GAS CORPORATION
LOCATION LAYOUT
Section 2, T14S, R9E, S.L.B.&M.
WELL # 02-404

Drawn By: D. Robertson	Checked By: L.W.J.
Drawing No.	Date: 9/28/99
A-2	1" = 50'
Sheet 2 of 4	Jab Na. 015









## View A-A

## Approximate Yardages

Cut (6") Topsoil Stripping Remaining Location		750.00		
TOTAL CUT		1891.90 2641.90		
TOTAL FILL	=	539.19	Cu.	Yds.


Slope — 1 1/2:1 (Except Pit) Pit Slope = 1:1




Taion Resources, inc.
375 South Carbon Avenue, Suite 126
Price, Utah 84501
Ph: 435-637-5032 ext. 711
Fax: 435-748-5085

RIVER GAS CORPORATION
TYPICAL CROSS SECTIONS
Section 2, T14S, R9E, S.L.B.&M.
WELL # 02-404

Drawn By: D. Robertson	Checked By: LW.J.			
Drawing No.	Date: 9/28/99			
C-1	Socie: As Shown			
Sheet 3 of 4	Job No. 015			





Utah 02-404

Ņ


Universal Transverse Mercator North 12 NAD83 (Conus)

Scale 1:75000 0 8000 Feet


8/27/1999
Pathfinder Office™ **Trimble** 

# APPROXIMATE LAYOUT OF RIG & EQUIPMENT LIGHT PLANT LIGHT PLANT 40' PIPE TRAILER O HOLE SURFACE CUTTINGS PIT FUEL TANK DOG HOUSE **20**' MAN PIT 45' RIG BOOSTER COMPRESSOR AUX COMP. FRAC TANK

# TYPICAL ROAD CROSS-SECTION




# DIVERTER HEAD



2" 5M FLANGED CHOKE
2" 5M GATE VALVE (FLANGED)
2" 5M STUDDED CROSS
2" 5M GATE VALVE (FLANGED)
2" 5M FLANGED CHOKE
2" 5M GATE VALVE (FLANGED)
2" LINE
2" 5M GATE VALVE (FLANGED)
3000# GAUGE 5M FLANGED CHOKE 5M GATE VALVE (FLANGED)

NUMBER 8 GATE VALVE SITS ON TOP OF MANIFOLD BETWEEN STUDDED CROSS AND 3000# GAUGE



AND A NEW 2" HALL VALVE FULL OPEN 5000PSI

MANIFOLD

## STATE OF UTAH BOND OF LESSEE

•••	
KNOW ALL MEN BY T	THESE PRESENTS, that we River Gas Corporation and Drunkards Wash
of of	511 Energy Center Blvd. Northport, AL 35476
GULF INSURANCE COMPANY.	P.O.BOX 1771.DALLAS, TEXAS 75221, as surery, are held and firmly bound of Hundred Thousand Dollars (\$200.000,000) lawful more of the White
unto the State of Utah in the sum	of Hundred Thousand Dollars (\$200.000.00) lawful money of the United States
to be paid to the School & Instituti	of Hundred Thousand Dollars (\$200.000.00) lawful money of the United States on purchaser of any portion of the land covered by the bession for the land covered by the land co
of the State of Utah, and of any p	raterities or numbers of the state of Utah, for the use and here?
lease heretofore sold or which may	atentee or purchaser of any portion of the land covered by the hereinafter described uch lands, for which payment, well and truly to be made, we bind covered by the surface or of other truly to be made, we bind covered by the surface or of other truly to be made, we bind covered to the surface or of other truly to be made, we bind covered to the surface or of other truly to be made, we bind covered to the surface or of other truly to be made, we bind covered to the surface or of other truly to be made.
mineral deposits of any portion of e	such lands of sold with a reservation to the State of High on the surface or of
of us, and each of our heirs execution	uch lands, for which payment, well and truly to be made, we bind ourselves, and each mors, administrators, successors, subjessees, and assignees, icitaly and courselves.
these presents	uch lands, for which payment, well and truly to be made, we bind ourselves, and each mors, administrators, successors, sublessees, and assignees, jointly and severally by
• *************************************	by and severally by
Signed with our bands and	mala at t
Signed with our hands and s	seals this 4th day of March 19 96
The condition of the format	
The condition of the foregoing	ng obligation is such that
WHEREAS. The State of United States of U	<del>2hy 25. Lessor, issued 2(n).</del>
	end-dated-
es lesses (and	said lease has been duly assigned under date of
	to drill for, mine, extract, and remove all of the
deposite in and u	nder the following described lands, to wit:
•	wit:
Operational State	Wide Bond
• •	
NOW, THEREFORE, the princ	improvements thereon and any other damages come remains, royalties, costs of
reclamation, damages to the surface and	improvements thereon and any other damages, costs, expenses, penalties, interest for in connection with the above described legacian according to the connection with the above described legacian according to the connection with the above described legacian according to the connection with the above described legacian according to the connection with the above described legacian according to the connection with the above described legacian according to the connection with the above described legacian according to the connection with the connection of the connection with the connection of the connection of the connection with the connection of the connec
Gas and Mining as they may now exist a	Administration, the Board of Oil, Gas and Mining and the Division of Oil
otherwise, it shall remain in 6.11 ferror	obligation to make payment to the State of Umb is said and an and
, so some leading in this lorge and	obligation to make payment to the State of Utah is void and of no effect, effect until released by the School & Institutional Trust Lands Administration.
Signed, sealed and delivered	de de la composition della com
in the presence of	River Gas Corporation
In / L	David M. Chambers, President
(XO) (US)	
Witness	Court of Charlens
withess .	Principal (SEAL)
$\sim$ 0 0 1	· maitai
Delm () del	BONDING COMPANY GULF INSURANCE COMPANY
The state of the s	BUNDING COMPANY GULF INSURANCE COMPANY  BY + + + + + + + + + + + + + + + + + + +
Witness	Frances Burks, Attorney-in-fact
	Auesi: Tave Elle 2
PPROVED AS TO FORM:	y-7- wison
JAN GRAHAM	Resident Agenti Muhael Ashaha
ATTORNEY GENERAL	THE VOICE AND AND

Bonding Co. Address: P.O. Box 1771, Dallas, Texas

Corporate Seal of Bonding Company Must be Affixed.

75221

## KNOW ALL MEN BY THESE

That GULF INSURANCE COMPANY, a corporation of the State of Missouri, hereinafter called "Company," does hereby appoint

FRANCES BURKS, DALLAS, TEXAS

its true and lawful Attomey-in-fact to make, execute, seal and deliver on its behalf, as surety, any and all bonds and undertakings of suretyship., including waiver and consent of surety to conditions of contracts.

The execution of such bonds or undertakings in pursuance of these presents shall be as binding upon the Company as if they had been executed and icknowledged by the regularly elected officers of the Company.

This Power of Attorney is issued pursuant to and by authority of the following resolution of the Board of Directors of the Company, adopted effective July 1, 1983, and now in full force and effect:

"Resolved that the President, or any Senior Vice President, or any Vice President, or the Secretary, or any Assetset Secretary may appoint Attorneys-in-last in any state, territory or leasers! Classical to eard this Company and to act on as behalf within the accope of the authority granted to start, in writing, which authority mitry include the power to make, execute, a sal and deliver on behalf of this Company, See surrory, and as its act and cood, any and allbonous and understands of surrory and other oppositions state the proposity course of surrory business may require, excluding authority to appoint agents for the teral, and authority to ament to the signature of the Procedure, or any Senior Vice Procedure, or any Vice Procedure, or the Secretary, or any Ass d to venly any afficave or other state rang to the loregoing, and to certify to a copy of any of the bylan Alturnsymblest may be removed and the authority gramed him revoked by the President, or any Senior Vice President, or any Vice President, or the Secretary, or any Assistant Secretary, or by the Secretary

This Power of Attorney and Certificate are signed and sealed by facsimile under and by authority of the following resolution of the Board of Directors of the Company, adopted effective July 1, 1983, and now in full force and effect:

ed that the agnature of the President, or of any Senior Vice Presi int, or of any Voe President, or of the Secretary, or of any Assistant Secretary, and the seal of the Company may be ath to any power of attorney or to any certificate relating thereto appointing Attorneys-or-fact for purposes only of executing and attesting bonds and undertakings and other writings collegatory in the icate revoluing the authority of the loregoing Atlantays-in-last, 22 well as for the appointm suding any such power of starmey and carefe ung the authority of such agents; and any such power of attorney or certificate bearing such face PERSON AND CORNEGS by Such laces or of attorney and considers are executed and in the future with respect to any bond or undertaking to which they are attached."

greof, the Company has caused this Power of Attorney to be signed and its corporate seal to be affixed by its authorized officer this Ist of June 28 STATE OF MEYA! difford R.

CERTIFICATE

I, the undersigned, do hereby certify that the original Power of Attorney of which the foregoing is a true and correct copy is in full force and effect, and the foregoing resolutions are true and correct transcripts from the records of GULF INSURANCE COMPANY and that the above named officer was on the date the laregoing Power of Attorney authorized to execute this Power of Attorney.

June

March

Li Rollie, Acchilo
Vice President



30th

# **United States Department of the Interior**

## BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

<date>

OCT 1 1999

DIV OF OIL, GAS & MINING

Memorandum

To:

Assistant District Manager Minerals, Moab District

From:

Michael Coulthard, Petroleum Engineer

Subject:

1999 Plan of Development Drunkards Wash Unit Carbon County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for calendar year 1999 within the Drunkards Wash Unit, Carbon County, Utah.

4		
API#	WELL NAME	LOCATION
43-007-3060	6 UTAH 02-406	0768-FSL 0791-FEL 02 14S 09E
43-007-3060	7 UTAH 02-405	1462-FSL 1489-FWL 02 14S 09E
43-007-3060	8 UTAH 02-404	1077-FNL 1644-FWL 02 14S 09E
43-007-3060	9 UTAH 02-403	1478-FNL 1727-FEL 02 14S 09E
43-007-3061	7 USA 04-409	1345-FNL 1636-FWL 04 14S 09E
43-007-3061	9 USA 18-435	1868-FNL 0792-FWL 18 14S 09E
43-007-3062	0 USA 26-424	1757-FNL 0680-FWL 26 14S 08E
43-007-3062	1 USA 34-434	1342-FSL 0922-FEL 34 14S 08E

This office has no objection to permitting the well at this time.

/s/ Michael L. Coulthard

bcc:

File - Drunkards Wash

Division of Oil Gas and Mining

Agr. Sec. Chron Fluid Chron

APD RECEIVED: 09/07/1999 API NO. ASSIGNED: 43-007-30608 WELL NAME: UTAH 02-404 (N1605) RIVER GAS CORPORATION OPERATOR: Pal Hart (435) 637-8876 CONTACT: / / INSPECT LOCATN BY: PROPOSED LOCATION: 02 - T14S - R09E NENW SURFACE: 1077-FNL-1644-FWL 816 FNL 1932 FWL TECH REVIEW Initials Date 1<del>077-FNL-1644-FW</del>L BOTTOM: Engineering CARBON COUNTY 10-6-9 UNDESIGNATED FIELD (002) Geology LEASE TYPE: STA Surface ML-47795 LEASE NUMBER: SURFACE OWNER: Federa PROPOSED FORMATION: FRSD LOCATION AND SITING: RECEIVED AND/OR REVIEWED: R649-2-3. Unit Drunkards Wash ₽lat Bond: Fed[] Ind[] Sta / Fee[] (No. 579333 R649-3-2. General Potash (Y/N) Siting: R649-3-3. Exception √ Øil Shale (Y/N) \*190-5(B) Water Permit Drilling Unit (No. PEWID Board Cause No: RDCC Review (Y/N) Eff Date: 7-13-99 Siting: Your Unit Boundary E. Uncommitted Tract. (Date: R649-3-11. Directional Drill A Fee Surf Agreement (Y/N) Blm Imoab ric'd copy of peimit 9/99. COMMENTS: STIPULATIONS: (1) Conductor and surface casings shall be comenfed to




OPERATOR: RIVER GAS CORP (N1605)

FIELD: UNDESIGNATED (002)

SEC. 2, T14S, R9E,

COUNTY: CARBON UNIT: DRUNKARDS WASH

CAUSE: 243-2



Well name:

1099 RGC UT 02-404

Operator:

River Gas Corp.

String type:

Surface

Project ID:

43-007-30608

Location:

**Collapse** 

Carbon County

Design parameters:

8.330 ppg Mud weight: Design is based on evacuated pipe.

Minimum design factors:

1.00

Collapse:

Design factor 1.125 **Environment:** 

H2S considered? Surface temperature: No 75 °F 79 °F

Bottom hole temperature: Temperature gradient:

1.40 °F/100ft

Minimum section length:

185 ft

**Burst:** 

Design factor

Cement top:

9 ft

Burst

Max anticipated surface

No backup mud specified.

0 psi pressure: 0.433 psi/ft Internal gradient:

Calculated BHP 121 psi **Tension:** 

8 Round STC:

1.80 (J) 1.80 (J) 8 Round LTC: 1.60 (J) **Buttress:** 

1.50 (J) Premium:

Body yield: 1.50 (B)

Tension is based on buoyed weight. Neutral point: 245 ft

Re subsequent strings:

Non-directional string.

Next setting depth: Next mud weight:

1,850 ft 8.330 ppg 801 psi

Next setting BHP: Fracture mud wt: Fracture depth: Injection pressure

19.250 ppg 1,850 ft 1,850 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	280	8.625	24.00	J-55	ST&C	280	280	7.972	13.5
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	121	1370	11.31	121	2950	24.35	6	244	41.50 J

**RJK** Prepared

Utah Dept. of Natural Resources by:

Date: October 6,1999 Salt Lake City, Utah

ENGINEERING STIPULATIONS: Conductor and surface casing shall be cemented to surface. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension. Collapse is based on a vertical depth of 280 ft, a mud weight of 8.33 ppg. The casing is considered to be evacuated for collapse purposes. Burst strength is not adjusted for tension.

Well name:

1099 RGC UT 02-404

Operator:

River Gas Corp.

String type:

Production

Location:

Carbon County

Project ID:

43-007-30608

Minimum design factors: **Environment:** 

**Collapse** 

Mud weight:

Design parameters:

Design is based on evacuated pipe.

8.330 ppg

Collapse:

Design factor 1.125

H2S considered?

Surface temperature:

No 75 °F 114 °F

Bottom hole temperature: Temperature gradient:

Non-directional string.

1.40 °F/100ft

Minimum section length:

368 ft

**Burst:** 

Design factor

1.00 Cement top: 673 ft

Burst

Max anticipated surface

pressure:

0 psi

0.433 psi/ft Internal gradient:

Calculated BHP

No backup mud specified.

1,207 psi

**Buttress:** Premium:

Body yield:

**Tension:** 8 Round STC:

1.80 (J) 8 Round LTC:

1.80 (J) 1.60 (J)

1.50 (J) 1.50 (B)

Tension is based on buoyed weight.

Neutral point:

2,438 ft

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (Ibs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	2790	5.5	17.00	N-80	LT&C	2790	2790	4.767	96.1
Run Seq	Collapse Load (psi) 1207	Collapse Strength (psi) 6290	Collapse Design Factor 5.21	Burst Load (psi) 1207	Burst Strength (psi) 7740	Burst Design Factor 6.41	Tension Load (Kips) 41	Tension Strength (Kips) 348	Tension Design Factor 8.40 J


Prepared


Utah Dept. of Natural Resources

Date: October 6,1999 Salt Lake City, Utah

ENGINEERING STIPULATIONS: Conductor and surface casing shall be cemented to surface. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension. Collapse is based on a vertical depth of 2790 ft, a mud weight of 8.33 ppg The casing is considered to be evacuated for collapse purposes. Burst strength is not adjusted for tension.









Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Division Director 1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

October 7, 1999

River Gas Corporation 1305 South 100 East Price, Utah 84501

Re:

Utah 02-404 Well, 1077' FNL, 1644' FWL, NE NW, Sec. 2, T. 14 S., R. 9 E., Carbon

County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30608.

Sincerely,

John R. Baza

**Associate Director** 

lwp

**Enclosures** 

cc:

Carbon County Assessor

Bureau of Land Management, Moab District Office

Operator:	River Gas Corporation
Well Name & Number:	Utah 02-404
API Number:	43-007-30608
Lease: State	Surface Owner: Federal
Location: <u>NE NW</u>	Sec. 2 T. 14 S. R. 9 E.
	Conditions of Approval
<del>-</del>	the requirements of Utah Admin. R649-1 et seq., the Oil and Gas eral Rules, and the applicable terms and provisions of the approved ermit to Drill.
. 24 hours p . 24 hours p . 24 hours p . within 24 l . prior to co	ents n of the following actions during drilling of this well: rior to cementing or testing casing rior to testing blowout prevention equipment rior to spudding the well hours of any emergency changes made to the approved drilling program mmencing operations to plug and abandon the well (please leave a voice mail message if person is not available to take the
. Dan Jarvis	at (801) 538-5338

- . Carol Daniels at (801) 538-5284 (spud)
- 3. Reporting Requirements
  All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.
- 4. Surface and conductor casings shall be cemented to surface.


Robert Krueger at (801) 538-5274 (plugging)

# STATE OF UTAH

DIVISION OF OIL, GA	S AND MINING	5. Lease Designation and Serial Number:
	ML-47795	
SUNDRY NOTICES AND REPORTS ON WELLS		6. If Indian, Allottee or Tribe Name:
		N/A 7. Unit Agreement Name:
Do not use this form for proposals to drill new wells, deepen existing wel Use APPLICATION FOR PERMIT TO DRILL OR DEEI		Drunkards Wash UTU-67921X
OH EL OAO MOTUED		8. Well Name and Number:
1. Type of Well: OIL LI GAS & OTHER:	A A A FEE A PROPERTY	Utah 02-404
2. Name of Operator:	AMENUEU	9. API Well Number:
River Gas Corporation		43-007-30608
3. Address and Telephone Number: 6825 S. 5300 W. P.O. Box 851 Pric	e, Utah 84501 (435) 613-9777	10. Field or Pool, or Wildcat: Drunkards Wash
4. Location of Well Footages: 816' FNL, 1732' FWL	4387870 N	county: Carbon County
QQ, Sec., T., R., M.: NE/4 NW/4 SEC. 02, T14S, R09E, S	SLB&M 509913 E	State: Utah
11. CHECK APPROPRIATE BOXES TO IN		REPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)
□ Abandon □ New Construction	on □ Abandon *	□ New Construction
☐ Repair Casing ☐ Pull or Alter Cas		☐ Pull or Alter Casing
☐ Change of Plans ☐ Recomplete	☐ Change of Plans	□ Reperforate
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection	on 🔲 Vent or Flare
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or A	Acidize □ Water Shut-Off
□ Multiple Completion □ Water Shut-Off		nge of location
☐ OtherApproximate date work will start	Date of work completion	on
Approximate date work will start	Report results of Multin	ole Completions and Recompletions to different reservoirs on WELL
		LETION REPORT AND LOG form.
	* Must be accompanied by a	cement verification report.
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all per vertical depths for all markers and zones pertinent to this work.)	tinent details, and give pertinent dates. If well is direc	ctionally drilled, give subsurface locations and measured and true
Please be advised that the proposed location for t resources. The previous location was 1077' FNI		avoid impact to archaeological
This well is located further than 460' from the exary of any uncommitted tract within the Drunkar accordance with Utah Administrative Code Rule	ds Wash Federal Unit and will not r	
Approved by the Utah Division of Oil, Gas and Mining Date: 10 30 00	A RIGINA	

Name & Signature: Jean Semborski Jaan Sombuli Title: Permit Specialist Date: 10/12/2000

(This space for state use only)



#### Location:

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office or Carbon County. The well location was determined using a Trimble 4700 GPS survey grade unit.

#### ${\it Basis}$ of ${\it Elevation}$ :


Basis of Elevation of 5875' being at the Northeast Section Corner of Section 2, Township 14 South, Range 9 East, Salt Lake Base and Meridian.


#### Description of Location:

Proposed Drill Hole located in the NW1/4 NW1/4 of Section 2, T14S, R9E, SLB&M, being 259.2' South and 358.5' East from the Northwest Section Corner of Section 2, T14S, R9E, Salt Lake Base & Meridian.


#### Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.






Drawn By: D. Robertson	Checked By: L.W.J.	
Drawing No.	Date: 12/13/99	
A-1	1" = 1000'	
Street 1 of 4	Job No. O15	



Talon Resources. Inc. 375 South Carbon Avenue, Sulte 126 Price, Utah 84501 Ph: 435-637-5032 ext. 711 Fax: 435-748-5085

Section 2, T14S, R9E, S.L.B.&M. Carbon County, Utah

Drawn By: D. Robertson	Checked By: L.W.J.
Drawing No.	Date: 12/13/99
A-1	Secile: 1" = 1000'
Wheat 1 of 4	Job No. 015









Talon Resources, Inc. 375 South Carbon Avenue, Suite 126 Price, Utah 84501 Ph: 435-637-5032 ext. 711 Fax: 435-748-5085


# RIVER GAS CORPORATION LOCATION LAYOUT


Section 2, T14S, R9E, S.L.B.&M.
WELL # 02-404

Drown By: D. Robertson	Checked By: L.W.J.
Drawing No. $A\!-\!2$	Dote: 12/11/99 Scale: 1" = 50'
Sheet 2 of 4	Job No. 015









## $\underline{View} A - A$

## Approximate Yardages

Cut		
(6") Topsoil Stripping	=	750.00 Cu. Yds.
Remaining Location	=	2030.5 Cu. Yds.
TOTAL CUT	=	2780.5 Cu. Yds.
TOTAL FILL	=	864.6 Cu. Yds.


Slope - 1 1/2:1 (Except Pit) Pit Slope = 1:1




Talon Resources, Inc.
375 South Carbon Avenue, Suite 126
Price, Utah 84501
Ph: 435-637-5032 ext. 711
Fax: 435-748-5085

RIVER GAS CORPORATION
TYPICAL CROSS SECTIONS
Section 2, T14S, R9E, S.L.B.&M.
WELL # 02-404


Drown By: D. Robertson	Checked By: L.W.J.	
Drawing No.	Date: 12/13/99	
C-1	Scale: As Shown	
Sheet 3 of 4	Jab Na. 015	





**UTAH** 2-403, 2-404, 2-405, 2-406 Sec. 2, T14S, R9E

Universal Transverse Mercator 12 North NAD 1927 (Conus)



Multiple Files
09/16/2000
Pathfinder Office
Trimble

### STATE OF UTAH

### DIVISION OF OIL, GAS AND MINING

DIVIDION OF CIE, CAC AND WINN	NG	5. Lease Designation and Serial Number:
SUNDRY NOTICES AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:
		7.11.2
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plug Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such p	ged and abandoned wells. roposals.	7. Unit Agreement Name:
1. Type of Well: OIL GAS 🖾 OTHER:		8. Well Name and Number:
2. Name of Operator: River Gas Corporation		9. API Well Number:
3. Address and Telephone Number: 6825 S. 5300 W. P.O. Box 851 Price, Utah 84501 (4	25) 612 0777	10. Field or Pool, or Wildcat:
4. Location of Well	33) 013-9777	
Footages: QQ, Sec., T., R., M.:		County: Carbon County State:
SLB & M	TUDE OF NOTICE OF	Utah
11. CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, RI	EPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	s	SUBSEQUENT REPORT (Submit Original Form Only)
□ Abandon □ New Construction □ Repair Casing □ Pull or Alter Casing □ Change of Plans □ Recomplete □ Convert to Injection □ Reperforate □ Fracture Treat or Acidize □ Vent or Flare □ Multiple Completion □ Water Shut-Off □ Change of Operator Approximate date work will start □ Pull or Alter Casing □ Recomplete □ Vent or Flare □ Water Shut-Off □ Change of Operator Approximate date work will start □ Please Describe Proposed or Completed Operations (Clearly state all pertinent details, and givertical depths for all markers and zones pertinent to this work.)  Please be advised that River Gas Corporation is transferring or Company 9780 Mt. Pyramid Court, Englewood, CO 80112. Please direct all correspondence and reports to: Phillips Petrol 3368. Effective 1/1/01.	* Must be accompanied by a cem  ve pertinent dates. If well is directions  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the pertinent dates are the companied by a cem  where the companied b	New Construction Pull or Alter Casing Reperforate Vent or Flare dize Water Shut-Off  Completions and Recompletions to different reservoirs on WELL ION REPORT AND LOG form.  Went verification report.  Ally drilled, give subsurface locations and measured and true  list of wells to Phillips Petroleum
3. Jame & Signature: <u>Cal Hurtt</u>		- shaha
lame & Signature: Cal Hurtt ( ac of County)	Title: Develo	pment Manager Date: 12/19/00

(This space for state use only)

# **Drunkards Wash Total Well Count**

(Through 2000 Drilling Season)

Well #	API#	Location	Section	Tship	Range
Utah 25-09-01	4300730130	1683 FSL, 877 FEL	25	14S	09E
Utah 36-01-02	4300730178	600 FNL, 620 FEL	36	14S	09E
Utah 31-03-03	4300730143	740 FNL, 1780 FWL	31	14S	10E
Utah 36-03-04	4300730142	822 FNL, 2176 FWL	36	14S	09E
Utah 36-09-05	4300730144	2050 FSL, 700 FEL	36	14S	09E
Utah 25-07-06	4300730156	2599 FNL, 1902 FEL	25	14S	09E
Utah 25-11-07	4300730157	1718 FSL, 2210 FWL	25	14S	09E
Utah 26-16-08	4300730181	800 FSL, 750 FEL	26	14S	09E
Utah 35-01-09	4300730180	650 FNL, 850 FEL	35	14S	09E
Utah 31-12-10	4300730183	1995 FSL, 745 FWL	31	14S	10E
Utah 36-11-11	4300730184	1837 FSL, 1903 FWL	36	14S	09E
Utah 19-14-12	4300730182	860 FSL, 1780 FWL	19	14S	10E
Utah 30-05-13	4300730179	1493 FNL, 728 FWL	30	14S	10E
Utah 30-13-14	4300730185	612 FSL, 670 FWL	30	14S	10E
Utah 24-01-15	4300730191	1320 FNL, 1320 FEL	24	14S	09E
Utah 24-03-16	4300730187	1310 FNL, 1525 FWL	24	14S	09E
Utah 24-12-17	4300730208	1320 FSL, 1320 FWL	24	14S	09E
Utah 24-16-18	4300730192	482 FSL, 940 FEL	24	14S	09E
Utah 23-02-19	4300730207	963 FNL, 1470 FEL	23	14S	09E
Utah 23-04-20	4300730194	1291 FNL, 1257 FWL	23	148	09E
Utah 23-14-21	4300730200	739 FSL, 1716 FWL	23	14S	09E
Utah 23-09-22	4300730201	1320 FSL, 1320 FEL	23	14S	09E
Utah 26-01-23	4300730205	1320 FNL, 1320 FEL	26	14S	09E
Utah 26-06-24	4300730202	1480 FNL, 2000 FWL	26	14S	09E
Utah 26-11-25	4300730204	1500 FSL, 1500 FWL	26	14S	09E
Utah 35-03-26	4300730203	1085 FNL, 1805 FWL	35	14S	09E
Utah 35-10-27	4300730197	2567 FSL, 2151 FEL	35	14S	09E
Utah 35-13-28	4300730198	1236 FSL, 1152 FWL	35	14S	09E
Utah 27-08-29	4300730193	2134 FNL, 753 FEL	27	14S	09E
Utah 27-09-30	4300730186	1359 FSL, 707 FEL	27	14S	09E
Utah 34-01-31	4300730196	464 FNL, 540 FEL	34	14S	09E
Utah 34-09-32	4300730195	1938 FSL, 435 FEL	34	14S	09E
Utah 25-04-33	4300730206	920 FNL, 780 FWL	25	14S	09E
Prettyman 10-15-34	4300730211	842 FSL, 1419 FEL	10	14S	09E
Utah 10-36	4300730302	1213 FNL, 469 FEL	10	15S	09E
Utah 12-15-37	4300730210	1158 FSL, 1494 FEL	12	15S	09E
Utah 06-38	4300730217	899 FNL, 1730 FEL	6	15S	10E
Utah 06-39	4300730218	934 FNL, 819 FWL	6	15S	10E
Utah 06-40	4300730219	2180 FSL, 1780 FEL	6	15S	10E
Utah 06-41	4300730254	2124 FSL, 1054 FWL	6	15S	10E
Utah 01-42	4300730220	860 FNL, 1780 FEL	1	15S	09E
Utah 01-43	4300730221	808 FNL, 1451 FWL	1	15S	09E
Utah 01-44	4300730222	860 FSL, 1320 FWL	1	15S	09E
Utah 01-45	4300730223	1219 FSL, 1318 FEL	1	15S	09E
Utah 02-46	4300730224	860 FNL, 860 FEL	2	15S	09E

Utah 02-47	4300730225	1318 FNL, 1791 FWL	2	15S	09E
Utah 02-48	4300730226	1780 FSL, 860 FEL	2	15S	09E
Utah 02-49	4300730227	1320 FSL, 2080 FWL	2	15S	09E
Utah 11-50	4300730228	860 FNL, 860 FEL	11	15S	09E
Utah 11-51	4300730229	1000 FNL, 1900 FWL	11	158	09E
Utah 11-52	4300730230	1400 FSL, 1100 FEL	11	15S	09E
Utah 11-53	4300730231	1780 FSL, 1800 FWL	11	15S	09E
Utah 12-54	4300730232	875 FNL, 1015 FWL	12	15S	09E
Utah 12-55	4300730233	1500 FNL, 1320 FEL	12	15S	09E
Utah 12-56	4300730234	1500 FSL, 1320 FWL	12	15S	09E
Utah 07-57	4300730235	1421 FNL, 1003 FWL	7	15S	10E
Utah 07-58	4300730236	1495 FNL, 2006 FEL	7	15S	10E
Utah 07-59	4300730237	1400 FSL, 2100 FEL	7	15S	10E
Utah 07-60	4300730238	954 FSL, 1256 FWL	7	15S	10E
Utah 14-61	4300730239	1386 FNL, 931 FEL	14	15S	09E
Utah 14-62	4300730240	980 FNL, 1385 FWL	14	15S	09E
Utah 14-63	4300730241	1780 FSL, 1320 FEL	14	15S	09E
Utah 14-64	4300730242	907 FSL, 1392 FWL	14	15S	09E
Utah 13-65	4300730243	1320 FNL, 1200 FEL	13	15S	09E
Utah 13-66	4300730244	1276 FNL, 1301 FWL	13	15S	09E
Utah 13-67	4300730245	1800 FSL, 1500 FEL	13	15S	09E
Utah 13-68	4300730246	1320 FSL, 1320 FWL	13	15S	09E
Utah 18-69	4300730427	1320 FNL, 1320 FWL	18	15S	10E
Utah 18-70	4300730248	1110 FNL, 2127 FEL	18	15S	10E
Utah 18-71	4300730249	1764 FSL, 1767 FEL	18	15S	10E
Utah 18-72	4300730250	2100 FSL, 1100 FWL	18	15S	10E
USA 19-73	4300730392	1664 FNL, 1412 FEL	19	15S	10E
Utah 14-74	4300730529	1365 FSL, 1988 FEL	14	14S	09E
Utah 14-75	4300730263	1036 FSL, 1622 FWL	14	148	09E
Utah 22-76	4300730251	1320 FNL, 660 FEL	22	14S	09E
Utah 19-77	4300730252	1780 FSL, 660 FWL	19	14S	10E
Williams 30-78	4300730279	460 FNL, 660 FEL	30	14S	10E
Utah 31-79	4300730253	1780 FSL, 1780 FEL	31	148	10E
Utah 24-80	4300730255	590 FNL, 1612 FWL	24	15S	09E
Utah 24-81	4300730256	1067 FNL, 1361 FEL	24	15S	09E
Utah 32-82	4300730257	600 FNL, 2028 FEL	32	15S	09E
Utah 21-83	4300730259	1780 FNL, 460 FWL	21	15S	10E
H&A 07-84	4300730258	1780 FSL, 1780 FWL	7	15S	09E
Utah 27-85	4300730261	2173 FNL, 676 FWL	27	148	08E
Utah 24-86	4300730267	1788 FSL, 1677 FEL	24	15S	09E
Utah 24-87	4300730375	1780 FSL, 1333 FWL	24	15S	09E
USA 15-88	4300730264	872 FSL, 875 FEL	15	14S	09E
Telonis 22-89	4300730266	836 FNL, 1766 FWL	22	14S	09E
Telonis 21-90	4300730328	1272 FNL, 1188 FEL	21	14S	09E
USA 13-91	4300730568	1443 FSL, 1017 FWL	13	14S	09E
Utah 13-92	4300730439	624 FSL, 899 FEL	13	14S	09E
Utah 18-93	4300730587	556 FSL, 673 FWL	18	14S	10E
Utah 05-95	4300730269	640 FNL, 580 FWL	5	15S	10E
Utah 05-94	4300730270	1520 FSL, 1320 FWL	5	15S	10E
	·	,			

٠,

Utah 05-96	4300730271	1780 FSL, 2180 FEL	5	15S	10E
Utah 08-97	4300730272	1495 FNL, 1273 FEL	8	15S	10E
Utah 08-98X	4300730285	1341 FNL, 1319 FWL	8	15S	10E
Utah 08-99	4300730274	1500 FSL, 1120 FWL	8	15S	10E
Utah 08-100	4300730275	1500 FSL, 1400 FEL	8	15S	10E
Utah 17-101	4300730416	460 FNL, 2180 FEL	17	15S	10E
Utah 17-102	4300730277	810 FNL, 910 FWL	17	15S	10E
Utah 17-103	4300730278	1520 FSL, 1120 FWL	17	15S	10E
Powell 19-104	4300730282	1327 FNL, 1458 FWL	19	15S	10E
Powell 19-105	4300730283	1239 FSL, 1325 FWL	19	15S	10E
Utah 23-106	4300730280	150 FNL, 1400 FEL	23	15S	09E
Utah 23-107	4300730281	1252 FNL, 1255 FWL	23	15S	09E
Birkinshaw 19-108	4300730284	1305 FNL, 1192 FEL	19	15S	09E
Utah 36-109	4300730268	1800 FNL, 1800 FWL	36	15S	09E
Utah 16-110	4301530250	860 FSL, 2000 FWL	16	16S	09E
Fausett 09-111	4300730428	2215 FSL, 354 FEL	9	14S	09E
Fausett 10-112	4300730415	1590 FSL, 1342 FWL	10	14S	09E
Giacoletto 11-113	4300730335	500 FSL, 2070 FWL	11	14S	09E
Prettyman 11-114	4300730340	471 FSL, 1828 FEL	11	14S	09E
Giacoletto 13-120	4300730407	1200 FNL, 1219 FWL	13	14S	09E
Giacoletto 14-121	4300730345	1200 FNL, 1060 FEL	14	148	09E
USA 14-122	4300730404	1500 FNL, 1039 FWL	14	14S	09E
Utah 30-125	4300730262	630 FSL, 1627 FEL	30	14S	10E
Utah 31-126	4300730305	1954 FNL, 1291 FEL	31	14S	10E
Robertson 32-127	4300730374	646 FNL, 349 FWL	32	14S	10E
Utah 04-129	4300730309	700 FWL, 1850 FSL	4	15S	10E
Utah 04-130	4300730519	860 FSL, 2150 FEL	4	15S	10E
Sampinos 16-131	4300730610	1201 FNL, 1016 FWL	16	15S	10E
Jensen 16-132	4300730588	1206 FSL, 1240 FWL	16	15S	10E
LDS 17-133	4300730296	1500 FSL, 1700 FEL	17	158	10E
Utah 25-134	4300730399	745 FNL, 1482 FWL	25	15S	09E
Utah 36-135	4300730341	850 FNL, 850 FEL	36	15S	09E
Utah 36-136	4300730343	465 FSL, 660 FWL	36	15\$	09E
Utah 36-137	4300730342	2180 FSL, 1800 FEL	36	15S	09E
Utah 02-138	4301530288	638 FNL, 1865 FEL	2	16S	09E
Utah 02-139	4301530289	1890 FNL, 850 FWL	2	16S	09E
Utah 02-140	4301530290	850 FSL, 1800 FWL	2	16S	09E
Utah 02-141	4301530291	1800 FSL, 1950 FEL	2	16S	09E
Telonis 15-142	4300730319	1320 FSL, 860 FWL	15	14S	09E
Fausett 16-143	4300730320	1320 FNL, 1320 FEL	16	148	09E
Fausett 16-144	4300730321	1800 FNL, 860 FWL	16	14S	09E
Telonis 16-145	4300730322	1320 FSL, 1320 FWL	16	14S	09E
Paar 16-146	4300730323	843 FSL, 2157 FEL	16	148	09E
Christiansen 17-147	4300730324	860 FSL, 1800 FWL	17	148	09E
Christiansen 17-148	4300730325	1250 FSL, 1100 FEL	17	148	09E
Birkinshaw 18-149	4300730326	500 FSL, 500 FEL	18	14S	09E
Telonis 19-150	4300730300	751 FNL, 1840 FWL	19	148	09E
Telonis 19-151	4300730299	860 FSL, 2000 FWL	19	148	09E
Telonis 20-152	4300730327	1320 FNL, 1900 FEL	20	14S	09E

٠,

Telonis 21-153	4300730329	860 FNL, 1800 FWL	21	148	09E
Telonis 29-154	4300730330	800 FNL, 1500 FWL	29	148	09E
Telonis 29-155	4300730331	1800 FSL, 1250 FWL	29	14S	09E
Telonis 30-156	4300730301	910 FNL, 868 FEL	30	14S	09E
Telonis 30-157	4300730332	1800 FSL, 580 FEL	30	14S	09E
Utah 32-158	4300730333	1038 FNL, 1768 FEL	32	148	09E
Utah 32-159	4300730334	2011 FNL, 1426 FWL	32	14S	09E
Utah 32-160	4300730398	1500 FSL, 1780 FWL	32	14S	09E
Utah 32-161	4300730336	415 FSL, 1408 FEL	32	148	09E
Utah 36-162	4300730315	2053 FNL, 685 FEL	36	148	08E
Utah 36-163	4300730316	860 FNL, 2100 FWL	36	14S	08E
Utah 36-164	4300730317	1070 FSL, 2000 FWL	36	148	08E
Utah 36-165	4300730318	1100 FSL, 1500 FEL	36	14S	08E
Utah 02-166	4300730337	1219 FNL, 1738 FEL	2	15S	08E
Utah 02-167	4300730338	660 FNL, 2075 FWL	2	15S	08E
Utah 02-168	4300730339	1800 FSL, 2100 FWL	2	15S	08E
Utah 02-169	4300730308	754 FSL, 1000 FEL	2	15S	08E
Seamons 32-170	4300730291	700 FNL, 500 FWL	32	13S	09E
Pinnacle Peak 19-171	4300730117	1320 FSL, 1320 FEL	19	148	09E
Telonis 20-172	4300730107	1980 FSL, 660 FEL	20	148	09E
Powell 30-173	4300730346	1200 FNL, 1200 FWL	30	15S	10E
Stella-Hamaker 10-174	4300730116	852 FNL, 1971 FWL	10	15S	08E
Utah 31-175	4301530317	897 FNL, 1731 FWL	31	16S	09E
USA 15-176	4300730450	2588 FNL, 1155 FEL	15	14S	09E
USA 09-178	4300730419	428 FSL, 2527 FWL	9	148	09E
USA 17-180A	4300730622	2563 FNL, 1383 FWL	17	148	09E
USA 18-182	4300730417	1068 FSL, 1972 FWL	18	148	09E
USA 24-183	4300730469	828 FNL, 624 FEL	24	148	08E
Utah 27-187	4300730395	1400 FNL, 1400 FWL	27	148	09E
Utah 27-188	4300730292	477 FSL, 518 FWL	27	148	09E
Utah 28-189	4300730396	1707 FNL, 868 FEL	28	148	09E
Utah 28-190	4300730397	1969 FNL, 1324 FWL	28	148	09E
Utah 28-191	4300730293	693 FSL, 1623 FWL	28	148	09E
Utah 28-192	4300730294	1407 FNL, 1940 FWL	28	148	09E
Utah 29-193	4300730405	693 FNL, 1029 FEL	29	148	09E
Utah 29-194	4300730427	951 FSL, 370 FEL	29	148	09E
Utah 30-195	4300730265	1407 FNL, 1940 FWL	30	148	09E
Utah 30-196	4300730266	1056 FSL, 1984 FWL	30	148	09E
Kakatsidas 31-197	4300730420	619 FNL, 1361 FEL	31	148	09E
Utah 31-198	4300730426	1403 FNL, 1540 FWL	31	148	09E
Utah 31-199	4300730480	1125 FSL, 928 FWL	31	14S	09E
Utah 31-200	4300730480	2118 FSL, 549 FEL	31	14S	09E
Utah 33-201	4300730386	317 FNL, 1815 FEL	33	148	09E
Utah 33-202	4300730387	1939 FNL, 1593 FWL	33	14S	09E
Utah 33-203	4300730387	1373 FSL, 1140 FWL	33		
				14S	09E
Utah 33-204	4300730389	2024 FSL, 1525 FEL	33	14S	09E
Utah 05-205	4300730384	1485 FNL, 760 FEL	5	15S	09E
Utah 05-206	4300730390	1300 FNL, 1352 FWL	5	15S	09E
Utah 06-207	4300730391	825 FNL, 928 FEL	6	15S	08E

٠.

	1 4000700404	T 4040 ENII 4004 EEI	1 4	1 450	T 005
Utah 01-208	4300730464	1246 FNL, 1831 FEL	1 1	15S	09E
Utah 01-209	4300730467	2271 FSL, 1251 FEL	1	15S	09E
Utah 34-211	4300730114	1181 FSL, 1005 FWL	34	148	09E
Utah 03-212	4300730468	1187 FNL, 1761 FEL	3	158	09E
Utah 03-213	4300730381	1466 FNL, 2041 FWL	3	15S	09E
Utah 03-214	4300730295	813 FSL, 966 FWL	3	15S	09E
Utah 03-215	4300730297	988 FSL, 604 FEL	3	15S	09E
Utah 04-216	4300730382	1610 FNL, 810 FEL	4	15S	09E
Utah 04-217	4300730383	1343 FNL, 1119 FWL	4	15S	09E
Utah 04-218	4300730418	1084 FSL, 509 FEL	4	15S	09E
Utah 10-219	4300730298	805 FNL, 756 FWL	10	15S	09E
Utah 10-220	4300730432	474 FSL, 372 FWL	10	15S	09E
Utah 10-221	4300730303	1602 FSL, 2032 FEL	10	15S	09E
USA 19-222	4300730393	1574 FSL, 1647 FEL	19	15S	10E
Utah 06-223	4300730430	1636 FSL, 1085 FEL	6	15S	09E
Utah 05-225	4300730440	421 FSL, 498 FEL	5	158	09E
Utah 04-226	4300730408	571 FSL, 2331 FWL	4	15S	09E
Utah 09-227	4300730449	652 FNL, 1331 FEL	9	15S	09E
Utah 09-228	4300730413	1444 FNL, 1520 FWL	9	15S	09E
Utah 09-229	4300730414	1595 FSL, 2051 FWL	9	15S	09E
Utah 08-230	4300730410	2003 FNL, 960 FEL	8	15S	09E
Utah 08-231	4300730411	1321 FNL, 1738 FWL	8	15S	09E
H&A 08-232	4300730412	1135 FSL, 1497 FWL	8	15S	09E
Utah 08-233	4300730488	468 FSL, 2030 FEL	8	158	09E
Utah 07-234	4300730409	1876 FNL, 875 FEL	7	15S	09E
Utah 07-235	4300730421	2098 FSL, 510 FEL	7	15S	09E
H&A 18-236	4300730459	896 FNL, 1511 FEL	18	158	09E
Utah 18-237	4300730485	1867 FSL, 1920 FEL	18	15S	09E
Utah 17-238	4300730510	677 FNL, 1321 FEL	17	15S	09E
Utah 17-239	4300730511	1383 FNL, 1576 FWL	17	15S	09E
Utah 17-240	4300730512	1977 FSL, 1394 FWL	17	15S	09E
Utah 17-241	4300730513	1668 FSL, 2222 FEL	17	15S	08E
USA 12-242	4300730482	1738 FNL, 1505 FEL	12	15S	08E
USA 12-243	4300730486	950 FNL, 232 FWL	12	15S	08E
USA 11-244	4300730463	1151 FNL, 1690 FEL	11	15S	08E
USA 11-245	4300730462	1234 FNL, 1743 FWL	11	15S	08E
Utah 01-246	4300730566	1619 FNL, 170 FWL	1 1	15S	09E
Utah 01-247	4300730465	594 FSL, 266 FWL	1 1	15S	08E
USA 35-248	4300730582	828 FSL, 1245 FEL	35	15S	09E
USA 30-251	4300730403	1169 FSL, 913 FWL	30	15S	10E
Utah 25-252	4300730400	1937 FNL, 1416 FEL	25	15S	09E
Utah 25-253	4300730401	809 FSL, 899 FWL	25	15S	09E
Utah 25-254	4300730402	1787 FSL, 1954 FEL	25	15S	09E
Utah 26-255	4300730446	1209 FNL, 755 FEL	26	15S	09E
Utah 26-256	4300730445	1274 FSL, 1351 FWL	26	15S	09E
Utah 26-257	4300730444	1263 FSL, 1368 FEL	26	15S	09E
Utah 34-258	4300730552	1198 FNL, 1880 FEL	34	15S	09E
Utah 34-259	4300730352	1662 FSL, 2046 FEL	34	15S	
Utah 35-260	4300730436	814 FNL, 1900 FEL	<del> </del>		09E
U(a)) 30-200	4300/3044/	OI4 FINL, ISOU FEL	35	15S	09E

r					<del>,</del>
Utah 35-261	4300730442	615 FNL, 818 FWL	35	15S	09E
Utah 35-262	4300730443	1657 FSL, 1850 FWL	35	15S	09E
Utah 35-263	4300730441	1785 FSL, 946 FEL	35	15S	09E
USA 01-264	4301530336	1055 FNL, 441 FWL	1	16S	09E
USA 01-265	4301530337	1739 FSL, 636 FWL	1	16S	09E
Woolstenhulme 05-266		1389 FNL, 2179 FEL	5	15S	10E
Utah 26-267	4300730514	1836 FNL, 2130 FWL	26	15S	09E
Utah 27-268	4300730457	1125 FSL, 1682 FWL	26	15S	09E
Utah 27-269	4300730458	1661 FSL, 795 FEL	27	15S	09E
Utah 34-270	4300730347	774 FNL, 756 FWL	34	15S	09E
Utah 34-271	4300730496	1693 FSL, 965 FWL	34	15S	09E
Utah 33-272	4300730502	694 FNL, 2034 FEL	33	15S	09E
Utah 33-273	4300730493	1922 FNL, 328 FWL	33	15S	09E
Utah 33-274	4300730494	1098 FSL, 1673 FWL	33	15S	09E
Utah 33-275	4300730495	1401 FSL, 1029 FEL	33	15S	09E
Utah 32-276	4300730483	738 FL, 1318 FWL	32	15S	09E
Utah 32-277	4300730484	1613 FSL, 1931 FEL	32	15S	09E
Utah 05-278	4301530278	1665 FNL, 1923 FEL	5	158	09E
Utah 04-279	4301530340	1020 FNL, 1757 FEL	4	16S	09E
Utah 04-280	4301530341	2087 FNL, 1627 FWL	4	16S	09E
Utah 04-281	4301530399	999 FSL, 896 FWL	4	16S	09E
Utah 04-282	4301530342	2188 FSL, 911 FEL	4	16S	09E
Utah 03-283	4301530349	461 FNL, 1772 FEL	3	16S	09E
Utah 03-284	4301530346	1218 FNL, 753 FWL	3	16S	09E
Utah 03-285	4301530345	1917 FSL, 546 FWL	3	16S	09E
Utah 03-286	4301530344	1690 FSL, 1958 FEL	3	16S	09E
USA 20-287	4300730448	1395 FNL, 979 FWL	20	15S	10E
USA 20-288	4300730451	1566 FSL, 1125 FWL	20	15S	10E
USA 30-289	4300730452	1184 FNL, 1353 FEL	30	15S	10E
USA 30-290	4300730453	1080 FSL, 1508 FEL	30	14S	10E
USA 11-291	4300730501	2609 FNL, 1994 FEL	11	14S	09E
USA 11-292	4300730500	2483 FNL, 664 FWL	11	148	09E
USA 10-293	4300730498	2011 FNL, 847 FEL	10	148	09E
USA 10-294	4300730497	1750 FNL, 769 FWL	10	148	09E
USA 09-295	4300730499	696 FNL, 1198 FEL	9	148	09E
Fausett 09-296	4300730455	2072 FNL, 798 FWL	9	148	09E
USA 08-297	4300730491	789 FNL, 958 FEL	8	14S	09E
Ritzakis 08-298	4300730475	798 FNL, 2018 FWL	8	148	09E
Ritzakis 08-299	4300730479	2187 FSL, 1885 FWL	8	14S	09E
Ritzakis 08-300	4300730476	2485 FSL, 1522 FEL	8	148	09E
USA 04-302	4300730478	1076 FSL, 1860 FWL	4	14S	09E
USA 04-303	4300730499	597 FSL, 984 FEL	4	148	09E
Ritzakis 05-304	4300730490	688 FSL, 1888 FWL	5	148	09E
Ritzakis 05-305	4300730473	1104 FSL, 1196 FEL	5	14S	09E
			<del> </del>		
USA 06-306 Helper 07-307	4300730492 4300730487	399 FSL, 306 FEL	6 7	14S	09E
USA 31-310		672 FNL, 962 FWL		15S	09E
	4300730516	624 FNL, 1238 FWL	31	15S	10E
USA 31-311	4300730517	1934 FSL, 973 FWL	31	15S	10E
USA 01-312	4301530350	1453 FNL, 1881 FEL	1	16S	09E

٠,

USA 11-314	4301530353	1262 FNL, 1136 FWL	11	16S	09E
USA 10-317	4301530352	1221 FNL, 1104 FEL	10	16S	09E
USA 12-322	4300730576	492 FSL, 495 FWL	10	15S	08E
USA 12-323	4300730577	540 FSL, 784 FEL	12	15S	08E
USA 11-324	4300730575	732 FSL, 1763 FEL	11	15S	08E
USA 14-325	4300730579	890 FNL, 1469 FEL	14	15S	08E
USA 13-326	4300730581	1065 FNL, 1563 FEL	13	15S	08E
USA 13-327	4300730578	1092 FNL, 941 FWL	13	15S	08E
USA 35-328	4300730583	964 FSL, 1999 FWL	35	14S	08E
Utah 09-329	4300730561	884 FSL, 1324 FEL	9	15S	09E
Utah 06-330	4300730562	938 FNL, 1564 FWL	6	15S	09E
Utah 20-333	4300730669	1069 FNL, 1460 FEL	20	15S	09E
Utah 20-334	4300730625	932 FNL, 1655 FWL	20	15S	09E
Utah 20-335	4300730626	2152 FSL, 1716 FWL	20	15S	09E
Utah 19-337	4300730623	926 FNL, 768 FEL	19	15S	09E
Utah 19-338	4300730624	1789 FSL, 1426 FEL	19	15S	09E
Utah 05-343	4301530400	1795 FNL, 1431 FWL	5	16S	09E
Utah 05-344	4301530401	1316 FSL, 1343 FWL	5	16S	09E
Utah 05-345	4301530402	908 FSL, 1449 FEL	5	16S	09E
Utah 08-354	4301530395	1073 FNL, 1914 FEL	8	16S	09E
Utah 08-355	4301530378	1673 FNL, 850 FWL	8	16S	09E
Utah 08-356	4301530379	1701 FSL, 799 FWL	8	16S	09E
Utah 08-357	4301530380	1722 FSL, 1599 FEL	8	16S	09E
Utah 09-358	4301530300	2097 FNL, 1634 FEL	9	16S	09E
Utah 09-359	4301530407	1787 FNL, 871 FWL	9	16S	09E
Utah 09-360	4301530397	1323 FSL, 881 FWL	9	16S	09E
Utah 09-361	4301530408	1564 FSL, 1998 FEL	9	16S	09E
USA 10-362	4301530424	2225 FNL, 494 FWL	10	16S	09E
USA 14-386	4300730634	592 FNL, 2236 FWL	14	15S	08E
USA 24-387	4300730612	1243 FSL, 2306 FWL	10	14S	08E
USA 24-388	4300730613	1177 FSL, 612 FEL	24	14S	08E
Utah 25-389	4300730600	737 FNL, 1976 FEL	25	14S	08E
Utah 25-390	4300730599	1540 FNL, 1354 FWL	25	14S	08E
Utah 25-391A	4300730658	1264 FSL, 1573 FWL	25	14S	08E
Utah 25-392	4300730602	2045 FSL, 1718 FEL	25	148	09E
USA 26-393	4300730614	1666 FNL, 874 FEL	26	14S	08E
USÀ 26-394	4300730615	856 FSL, 2377 FWL	26	14S	08E
USA 26-395	4300730616	1927 FSL, 830 FEL	26	14S	08E
USA 35-396	4300730584	616 FNL, 1896 FEL	35	148	08E
USA 35-397	4300730585	949 FNL, 1264 FWL	35	148	08E
USA 20-398	4300730590	1374 FNL, 1387 FEL	20	15S	10E
USA 20-399	4300730591	1445 FSL, 1128 FEL	20	15S	10E
Utah 09-412	4300730580	1102 FSL, 1018 FWL	9	15S	10E
Utah 09-413	4300730605	1007 FNL, 1197 FWL	9	15S	10E
Utah 10-415	4301530391	1090 FNL, 557 FEL	10	16S	08E
USA 14-416	4300730646	892 FSL, 1311 FWL	14	15S	08E
USA 14-417	4300730647	1741 FSL, 1054 FEL	14	15S	09E
USA 13-418	4300730645	737 FSL, 793 FEL	13	15S	08E
USA 13-419	4300730631	2617 FSL, 1958 FEL	13	15S	08E

USA 23-423	4300730611	408 FSL, 924 FEL	23	14S	08E
USA 34-434	4300730621	1342 FSL, 922 FEL	34	14S	08E
USA 18-435	4300730619	1868 FNL, 793 FWL	18	14S	09E
USA 07-436	4300730630	3121 FNL, 871 FEL	7	14S	09E
USA 03-442	4300730710	899 FNL, 553 FEL	3	15S	08E
USA 24-443	4300730651	1780 FNL, 2247 FEL	24	15S	08E
USA 24-444	4300730648	1338 FNL, 1153 FWL	24	15S	08E
USA 24-446	4300730708	1377 FNL, 2340 FWL	24	14S	08E
USA 13-447	4300730707	2044 FSL, 741 FEL	13	148	08E
USA 24-448	4300730652	2146 FSL, 2021 FEL	24	15S	08E
Utah 34-456	4300730713	755 FNL, 1377 FEL	34	14S	08E
USA 13-470	4300730706	1741 FNL, 554 FEL	13	14S	08E
Utah 06-483	4300730716	2456 FSL, 988 FWL	6	15S	09E
American Quasar D1	4300730040	999 FSL, 1552 FWL	31	14S	10E
Arcadia-Telonis D2	4300730093	465 FSL, 560 FEL	19	14S	09E
Utah D3	4300730290	1600 FSL, 1530 FEL	18	15S	10E
Utah D4	4300730314	600 FNL, 500 FWL	24	14S	09E
Fausett D5	4300730351	467 FNL, 1461 FWL	16	14S	09E
Drew D6	4300730100	1300 FSL, 830 FWL	34	148	09E
Utah D7	4301530338	1371 FSL, 1530 FEL	2	14S	09E
Utah D8	4300730431	1342 FNL, 350 FWL	12	15S	09E
Utah D9	4300730438	1960 FNL, 1487 FWL	32	14S	09E
RGC D10	4300730520	162 FNL, 1557 FEL	28	15S	09E
USA D11	4301530356	1513 FNL, 2437 FEL	13	16S	09E
Sampinos D14	4300730567	1695 FSL, 2133 FEL	16	15S	10E

### LAW OFFICES

### PRUITT, GUSHEE & BACHTELL

SUITE 1850 BENEFICIAL LIFE TOWER

SALT LAKE CITY, UTAH 84111-1495

(801) 531-8446

TELECOPIER (801) 531-8468

E-MAIL: mail@pgblaw.com

SENIOR COUNSEL:

ROBERT G. PRUITT, JR. OLIVER W. GUSHEE, JR.

OF COUNSEL:

ROBERT G. PRUITT, III BRENT A. BOHMAN

may at a second 
January 29, 2001

### HAND DELIVERED

Mr. Jim Thompson Utah Division of Oil, Gas & Mining 1594 W. North Temple Salt Lake City, UT 84116

Re: River Gas/Phillips Merger

Dear Mr. Thompson:

THOMAS W. BACHTELL A. JOHN DAVIS, III

FREDERICK M. MACDONALD GEORGE S. YOUNG

JOHN W. ANDERSON

ANGELA L. FRANKLIN

MICHAEL S. JOHNSON

JOHN S. FLITTON

WILLIAM E. WARD

As you may know, River Gas Corporation ("RGC") merged into Phillips Petroleum Company ("Phillips") effective December 31, 2000 at 11:59 p.m. I have enclosed a Certificate of Articles of Merger issued by the Utah Department of Commerce and, although duplicative, a sundry notice formally evidencing the merger for your records, and a list of all wells, including injection wells, formerly operated by RGC.

Please change the Division's records to reflect the change in operator of these wells from RGC to Phillips. All operational questions should be directed to Phillips at the following address:

Phillips Petroleum Company Attn: Billy Stacy, Operations Manager P.O. Box 3368 Englewood, CO 80155-3368 Telephone No.: (720) 344-4984

Phillips currently has a bond on file with the Division (a copy of which is enclosed for your reference), but I understand an \$80,000 Letter of Credit is in the process of being substituted.

Mr. Jim Thompson January 29, 2001 Page 2

On behalf of Phillips, I thank you for your cooperation. Should you have any further questions or concerns, please do not hesitate to contact me.

Yours very truly,

Frederick M. MacDonald

FMM:cs 2078.16 Enclosures

cc: W. H. Rainbolt Billy Stacy



# Utah Department of Commerce Division of Corporations & Commercial Code

160 East 300 South, 2nd Floor, Box 146705

Salt Lake City, UT 84114-6705 Phone: (801) 530-4849

Toll Free: (877) 526-3994 Utah Residents Fax: (801) 530-6438

Web site: http://www.commerce.state.ut.us

Registration Number: 562960-0143

PHILLIPS PETROLEUM COMPANY

Business Name: Registered Date:


JUNE 14, 1946

01/12/01

# **CERTIFICATE OF ARTICLES OF MERGER**

THE UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE ("DIVISION") HEREBY CERTIFIES THAT

ARTICLES OF MERGER WERE FILED WITH THIS OFFICE ON DECEMBER 12, 2000 MERGING RIVER GAS CORPORATION, A CORPORATION OF THE STATE OF ALABAMA, INTO PHILLIPS PETROLEUM COMPANY, THE SURVIVING CORPORATION WHICH IS OF THE STATE OF DELAWARE, AS APPEARS OF RECORD IN THE OFFICE OF THE DIVISION.



Ric Campbell
Acting Division Director of

Corporations and Commercial Code

# 2-12-00P04:02 RCVD

## State of Delaware

PAGE

# Office of the Secretary of State



I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORP COPY OF THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"RIVER GAS CORPORATION", A ALABAMA CORPORATION,

WITH AND INTO "PHILLIPS PETROLEUM COMPANY" UNDER THE NAME OF "PHILLIPS PETROLEUM COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE SIXTH DAY OF DECEMBER, A.D. 2000, AT 10 O'CLOCK A.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF OWNERSHIP IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2000, AT 11:59 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.

DEC 12 2000 Liter Bir. Of Cosp. & Const. Code

Edward J. Freel, Secretary of State

AUTHENTICATION: 0837738

this Certificate thereof.

DATE: 12-07-00

State of Utch Department of Commerce Division of Corporations and Commercial Code I Hereby certify that the toregoing type been fled and approved on this 12 day of 1220 Co in the office of this Division and hereby issue

0064324 8100M

001609453

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 10:00 AM 12/06/2000 001609453 - 0064324

### CERTIFICATE OF OWNERSHIP AND MERGER

OF

### RIVER GAS CORPORATION

(an Alabama corporation)

into

### Phillips Petroleum Company

(a Delaware corporation)

It is hereby certified that:

- 1. Phillips Petroleum Company [hereinafter sometimes referred to as the "Corporation"] is a business corporation of the State of Delaware.
- 2. The Corporation is the owner of all of the outstanding shares of each class of stock of River Gas Corporation, which is a business corporation of the State of Alabama.
- 3. The laws of the jurisdiction of organization of River Gas Corporation permit the merger of a business corporation of that jurisdiction with a business corporation of another jurisdiction.
- 4. The Corporation hereby merges River Gas Corporation into the Corporation.
- 5. The following is a copy of the resolutions adopted on November 21, 2000 by the Board of Directors of the Corporation to merge the said River Gas Corporation into the Corporation:
  - "1. Phillips Petroleum Company, which is a business corporation of the State of Delaware and is the owner of all of the outstanding shares of River Gas Corporation, which is a business corporation of the State of Alabama, hereby merges River Gas Corporation into Phillips Petroleum Company pursuant to the provisions of the Alabama Business Corporation Act and pursuant to the

provisions of Section 253 of the General Corporation Law of Delaware.

- "2. The separate existence of River Gas Corporation shall cease at the effective time and date of the merger pursuant to the provisions of the Alabama Business Corporation Act; and Phillips Petroleum Company shall continue its existence as the surviving corporation pursuant to the provisions of Section 253 of the General Corporation Law of Delaware.
- \*3. The Articles of Incorporation of Phillips Petroleum Company are not amended in any respect by this Plan of Merger.
- "4. The issued shares of River Gas Corporation shall not be converted or exchanged in any manner, but each said share which is issued immediately prior to the effective time and date of the merger shall be surrendered and extinguished.
- "5. Each share of Phillips Petroleum Company outstanding immediately prior to the effective time and date of the merger is to be an identical outstanding share of Phillips Petroleum Company at the effective time and date of the merger.
- "6. No shares of Phillips Petroleum Company and no shares, securities, or obligations convertible into such shares are to be issued or delivered under this Plan of Merger.
- "7. The Board of Directors and the proper officers of Phillips Petroleum Company are hereby authorized, empowered, and directed to do any and all acts and things, and to make, execute, deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of this Plan of Merger or of the merger herein provided for."
- "This Company approves that the effective time and date of the merger herein provided for in the State of Alabama shall be 11:59 p.m. on December 31, 2000."
- "Any Vice President, the Treasurer, any Assistant Treasurer, the Secretary, any Assistant Secretary, and each of them severally, be and hereby is authorized to make, execute,

שבני-שמי-בשטש שסיי:

deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of these resolutions and to do or cause to be done all such acts as are necessary to give effect to the purpose and intent of the approval herein set forth."

6. This Certificate of Ownership and Merger shall be effective at 11:59 p.m. on December 31, 2000.

Executed on November 27, 2000

Phillips Petroleum Company

N A Loffis Assistant Secretary



# United States Department of the Interior

### **BUREAU OF LAND MANAGEMENT**

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3106 UTU-47157 et al (UT-932)

JAN 3 0 2001

NOTICE

Phillips Petroleum Company Attn: W. H. Rainbolt, Rocky Mtn. Region-Land Box 1967 Houston, TX 77251-1967

Oil and Gas

### Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of River Gas Corporation into Phillips Petroleum Company with Phillips Petroleum Company being the surviving entity.

The oil and gas lease files and rights-of-way files identified on the enclosed exhibit have been noted as to the merger. The exhibit is the list supplied by the representative of the companies, and verified by our computerized records. We have not adjudicated the case files to determine if the entity affected by the merger holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

By recognition of the merger the obligor is automatically changed by operation of law from River Gas Corporation to Phillips Petroleum Company on Letter of Credit No. P-207337 (BLM Bond No. UT0829). A rider to BLM Bond No. ES0048 assuming any and all liabilities of BLM Bond No. UT0829 must be submitted for approval to the Eastern States Office, Attn: Bill Forbes, 7450 Boston Boulevard, Springfield, VA 22153. After the rider is approved, the Letter of Credit will be returned to the financial institution that issued it.

ROBERT LOPEZ

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure Exhibit of Leases



cc: Moab Field Office

Vernal Field Office

Price Field Office

MMS-Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114

The Chase Manhattan Bank, Attn: Standby Letter of Credit Dept., 4 Chase Metrotech Center, 8th Floor Brooklyn, NY 11245

Teresa Thompson (UT-931)

LaVerne Steah (UT-942)

Pruitt, Gushee & Bachtell, Attn: Frederick M. MacDonald, Suite 1850 Beneficial Life Tower,

Salt Lake City, Utah 84111-1495

BLM, Eastern States Office (Attn: Bill Forbes)

# **RGC/Phillips Merger**

# List of Affected BLM Leases and Rights-of-Way

# A. Oil & Gas Leases

UTU-47157	UTU-70219	UTU-75016
UTU-49631	UTU-70400	UTU-75019
UTU-50645	UTU-71390	UTU-75021
UTU-51584	UTU-72003	UTU-75022
UTU-53872	UTU-72004	UTU-76332
UTU-57821	UTU-72350	UTU-76334
UTU-60402	UTU-72355	UTU-77351
UTU-60925	UTU-72358	UTU-77353
UTU-61154	UTU- <b>7</b> 2377	UTU-77354
UTU-61155	UTU-72470	UTU-78408
UTU-61158	UTU-72477	UTU-78409
UTU-61547	UTU-72624	UTU-78410
UTU-61548	UTU-72 <b>7</b> 23	UTU-78411
UTU-62145	UTU-72724	UTU-78412
UTU-62276	UTU-72746	UTU-78413
UTU-65298	UTU-73004	UTU-78782
UTU-65300	UTU-73075	UTU-78783
UTU-65302	UTU-73330	UTU-79150
UTU-65303	UTU-73331	UTU-79151
UTU-67621	UTU-73523	UTU-79152
UTU-67839	UTU-73752	UTU-79153
UTU-67906	UTU-73884	UTU-79154
UTU-68314	UTU-74376	UTU-79155
UTU-69449	UTU-75015	UTU-79159
		•

# B. Rights-of-Way

UTU-73226	UTU-77141	UTU-77976
UTU-74319	UTU-77141-01	UTU-77989
UTU-74320	UTU-77151	UTU-77989-01
UTU-76610	UTU-77151-01	
UTU-76629	UTU-77154	

### Division of Oil, Gas and Mining

### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH
2. CDW
5-80
3. JLT
6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

DRUNKARDS WASH

Operator Name Change (Only)

X Merger

Unit:

FROM: (Old Operator):	TO: ( New Operator):
RIVER GAS CORPORATION	PHILLIPS PETROLEUM COMPANY
Address: 6825 S. 5300 W. P. O. BOX 851	Address: P. O. BOX 3368
PRICE, UT 84501	ENGLEWOOD, CO 80155-3368
Phone: 1-(435)-613-9777	Phone: 1-(720)-344-4984
Account N1605	Account N1475

CA No.

WELL(S)		T	T	T		T
	API	ENTITY	SEC. TWN	LEASE	WELL	1
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
USA 34-510	43-007-30506	99999	34-13S-09E	STATE	GW	APD
USA 27-457	43-007-30712	99999	27-14S-08E	STATE	GW	APD _
USA 27-458	43-007-30714	99999	27-14S-08E	STATE	GW	APD
USA 02-403	43-007-30609	99999	02-14S-09E	STATE	GW	APD
USA 02-404	43-007-30608	99999	02-14S-09E	STATE	GW	APD
USA 02-405	43-007-30607	99999	02-14S-09E	STATE	GW	APD
USA 02-406	43-007-30606	99999	02-14S-09E	STATE	GW	APD
USA 34-210	43-007-30429	99999	34-14S-09E	STATE	GW	APD
USA 05-224	43-007-30478	99999	05-15S-09E	STATE	GW	APD
USA 19-497	43-007-30731	99999	19-15S-09E	STATE	GW	APD
USA 20-336	43-007-30738	99999	20-15S-09E	STATE	GW	APD
USA 28-320	43-007-30551	99999	28-15S-09E	STATE	GW	APD
USA 28-321	43-007-30560	99999	28-15S-09E	STATE	GW	APD
CLAWSON SPRING STATE D-2	43-007-30639	99999	30-15S-09E	STATE	GW	APD
CLAWSON SPRING STATE D-4	43-007-30641	99999	30-15S-09E	STATE	GW	APD
UTAH 09-450	43-007-30657	99999	09-15S-10E	STATE	GW	APD
UTAH 09-453	43-007-30722	99999	09-15S-10E	STATE	GW	APD
UTAH 16-365	43-015-30411	99999	16-16S-09E	STATE	GW	APD
UTAH 16-366	43-015-30412	99999	16-16S-09E	STATE	GW	APD
USA 21-427	43-015-30417	99999	21-16S-09E	FEDERAL	GW	APD

### **OPERATOR CHANGES DOCUMENTATION**

1.	(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:	01/29/2001

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/29/2001

3. The new company has been checked through the **Department of Commerce**, **Division of Corporations Database on:** 02/15/2001

4.	4. Is the new operator registered in the State of Utah:  YES  Business Number:  562960	-0143
5.	5. If <b>NO</b> , the operator was contacted contacted on:	
6.	6. <b>Federal and Indian Lease Wells:</b> The BLM and or the BIA has approved the (merger, name or operator change for all wells listed on Federal or Indian leases on: 01/30/2001	e change,
7.	7. <b>Federal and Indian Units:</b> The BLM or BIA has approved the successor of unit operator for wells listed on: N/A	
8.		proved the operator
9.	9. Underground Injection Control ("UIC") Pro: The Division has approved UIC Form 5, Transfer for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:  N/A	•
DA	DATA ENTRY:	
1.	1. Changes entered in the Oil and Gas Database on: 02/20/2001	
2.	2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 02/20/2001	
3.	3. Bond information entered in RBDMS on: N/A	
4.	4. Fee wells attached to bond in RBDMS on:  N/A	
ST	STATE BOND VERIFICATION:	
1.	1. State well(s) covered by Bond No.: 5952189	
FF	FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION	<u> </u>
	1. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed has furnished a bond:  N/A	,•
	2. The <b>FORMER</b> operator has requested a release of liability from their bond on:  N/A  The Division sent response by letter on:  N/A	
3.	3. (R649-2-10) The <b>FORMER</b> operator of the Fee wells has been contacted and informed by a letter from the Di of their responsibility to notify all interest owners of this change on:  N/A	vision
	FILMING:  1. All attachments to this form have been MICROFILMED on: 2.22.01	
	FILING: 1. ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file or	on:
co	COMMENTS:	

# DIVISION OF OIL, GAS AND MINING



# SPUDDING INFORMATION

Name of Company: PHILLIPS PETROLEUM COMPANY
Well Name: UTAH 02-404
Api No 43-007-30608 LEASE TYPE: STATE
Section 02 Township 14S Range 09E County CARBON
Drilling Contractor PENSE BROTHERS DRILLING RIG # 9
SPUDDED:
Date06//26/2001
Time2:00 PM
How
Drilling will commence
Reported by FRANKIE HATHAWAY
Telephone #1-435-613-9777
Date06/26/2001Signed:CHD

CONFIDENTIAL

FORM 9	STATE OF UTAH					
Dl	VISION OF OIL, GAS AND M	INING	ı	n and Serial Number:		
			ML-47795 6. If Indian, Allottee			
SUNDRY NOT	SUNDRY NOTICES AND REPORTS ON WELLS					
			N/A			
Do not use this form for proposals to d Use APPLICATION F	rill new wells, deepen existing wells, or to reenter FOR PERMIT TO DRILL OR DEEPEN form for su	plugged and abandoned wells. sch proposals.	7. Unit Agreement N Drunkards	Wash UTU-67921X		
1. Type of Well: OIL □ GAS 🖾 C	THER:		8. Well Name and I Utah 02-4			
2. Name of Operator:			9. API Well Numbe			
Phillips	s Petroleum Company		43-007-3			
3. Address and			10. Field or Pool, or			
Telephone Number: 6825 S. 5300 W.	P.O. Box 851 Price, Utah 8450	1 (435) 613-9777	Drunkard	s Wash		
4. Location of Well Footages: 816' FNL, 17 QQ, Sec., T., R., M.: NE/NW SEC.	32' FWL 02, T14S, R09E, SLB & M		County: Carb State: Utah	on County		
11. CHECK APPROPR	IATE BOXES TO INDICATE	NATURE OF NOTICE,	REPORT, OR	OTHER DATA		
NOTICE (Submit		SUBSEQUENT   (Submit Original Fo				
□ Abandon	□ New Construction	☐ Abandon *	I	☐ New Construction		
☐ Repair Casing	□ Pull or Alter Casing	☐ Repair Casing	[	☐ Pull or Alter Casing		
☐ Change of Plans	□ Recomplete	☐ Change of Plans	1	☐ Reperforate		
☐ Convert to Injection	☐ Reperforate	□ Convert to Injectio	n i	□ Vent or Flare		
☐ Fracture Treat or Acidize	□ Vent or Flare	☐ Fracture Treat or A		☐ Water Shut-Off		
☐ Muitiple Completion	☐ Water Shut-Off		oud Notice			
□ Other		Date of work completion	on			
Approximate date work will start						
		Report results of Multip COMPLETION OR RECOMPI		mpletions to different reservoirs on WELL OG form.		
		* Must be accompanied by a				
		, ,	·		_	
12. DESCRIBE PROPOSED OR COMPLETED C vertical depths for all markers and zones pertinen	PERATIONS (Clearly state all pertinent details, a t to this work.)	and give pertinent dates. If well is direc	tionally drilled, give subsi	urface locations and measured and true		
701	de a de a Utab 00 404 anall a cara	6/26/01 at 2.20				
Please be advised Pense Bros. Rig #	that the Utah 02-404 well was sp 9	oud on 6/26/01 at 3:30 pm	•			

Dry Drill

**DIVISION OF** OIL, GAS AND MINING

ORIGINAL

RECEIVED CONFIDENTIAL

13.

Name & Signature: Frankie Hathaway Chrankie Hathaway

Title: Administrative Assistant

Date: \_7/10/01

(This space for state use only)

◆ FORM 9 '\*

# STATE OF UTAH

	VIF.		FN	ΔΙ
UUI	VI.	ILJ		M

r	DIVISION OF OIL, GAS AND MII	VING	OOMIDLIMING
L	PIVIOION OF OIL, ONO MIND WITH	<b>\</b>	5. Lease Designation and Serial Number:  ML-47795
SUNDRY NO	TICES AND REPORTS O	N WELLS	6. If Indian, Allottee or Tribe Name:
			N/A 7. Unit Agreement Name:
Do not use this form for proposals to Use APPLICATION	o drill new wells, deepen existing wells, or to reenter p N FOR PERMIT TO DRILL OR DEEPEN form for sucl	lugged and abandoned wells. h proposals.	Drunkards Wash UTU-67921X
1. Type of Well: OIL GAS 🖾	OTHER:		8. Well Name and Number:
1. Type of Well: OIL LI GAS AI		<u> </u>	Utah 02-404
2. Name of Operator:	ps Petroleum Company		9. API Well Number: 43-007-30608
3. Address and	ps retroleum Company		10. Field or Pool, or Wildcat:
- · · · · · · · ·	V. P.O. Box 851 Price, Utah 84501	(435) 613-9777	Drunkards Wash
4. Location of Well Footages: 816' FNL, 1	722' EV/I		county: Carbon County
QQ Sec. T. R. M.:			State: Utah
	C. 02, T14S, R09E, SLB & M RIATE BOXES TO INDICATE N	IATUDE OF NOTICE	
11. CHECK APPROPI	RIATE BOXES TO INDICATE N	TATURE OF NOTICE,	REPORT, OR OTHER DATA
	E OF INTENT ait in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)
☐ Abandon	☐ New Construction	☐ Abandon *	□ New Construction
☐ Repair Casing	□ Pull or Alter Casing	☐ Repair Casing	<ul><li>Pull or Alter Casing</li></ul>
☐ Change of Plans	□ Recomplete	☐ Change of Plans	☐ Reperforate
☐ Convert to Injection	☐ Reperforate	☐ Convert to Injection	
☐ Fracture Treat or Acidize	☐ Vent or Flare	☐ Fracture Treat or A	Acidize □ Water Shut-Off /ell Report
<ul><li>☐ Multiple Completion</li><li>☐ Other</li></ul>	□ Water Shut-Off	☑ Otherw Date of work completion	
Approximate date work will start _			
		Report results of Multipi	le Completions and Recompletions to different reservoirs on WELL LETION REPORT AND LOG form.
		* Must be accompanied by a	
12. DESCRIBE PROPOSED OR COMPLETED vertical depths for all markers and zones pertine See Attached:	) OPERATIONS (Clearly state all pertinent details, an ent to this work.)	d give pertinent dates. If well is direct	tionally drilled, give subsurface locations and measured and true
			ORIGINAL
		REGEIVE JUL 12 2001	<b>6</b> ONFIDENTIAL
		DIVISION OF OIL, GAS AND MIN	NING
Name & Signature: Frankie Hathawa	v Chankie Hathau	Title: Adm	ninistrative Assistant Date: 7/10/01

(This space for state use only)

# DRUNKARDS WASH PROJECT DAILY WELL REPORT

COMPINENTIAL

UTAH

02-404

API NO: 4300730608

1077 FNL 1644 FWL

NENW SEC: 02 TWN: 14S RNG: 9E

COUNTY: CARBON **ELEVATION:** 5601 SPUD TIME/DATE: 6/26/01 3:30:00 PM

TD TIME/DATE: 6/28/01 9:00:00 AM

TD DEPTH: 3100

DRILLING CONTRACTOR: Pense Brothers Rig #9

ON-LINE TIME/DATE:

### Bit Information

<u>Type</u>	<u>Size</u>	<u>In</u>	<u>Out</u>	Hours	Rotating Hours
Air Hammer	15 in	0.00	7.00	0.75	0.5
Air Hammer	11 in	7.00	320.00	3	2.75
Air Hammer	7 7/8	320.00	2210.00	13	10
Tri-cone	7 7/8in	2210.00	3100.00	24	10.5

**Conductor Casing** 

Bore Hole Size: 15 in

Conductor From: 0.00

To: 7.00

Casing Description: 12 3/4in PE

Number of Joints: 1

Set @: 7.00

Cement:

Amount:

Cement Report:

**Surface Casing** 

Bore Hole Size: 11 in

Surface Casing From: 7.00

To: 320.00

Casing Description: 8 5/8 in 24#/ft J-55

Number of Joints: 11

Set @: 314.00

Cement: G + 2%S-1 + 1/4#/sk D-29

Amount: 150.00

Cement Report: r/up cementers, safety meeting, test lines, pump 30 bbls ahead, mix & pump cement, mix on heavy side, displace w/ 17 bbls h2o, slowed to 1.5bpm when cement came to surface, 1/2bpm

w/ 5 bbls left, closed valve @ 9:30pm 15 bbls good cement to surface, good job

**Production Casing** 

Bore Hole Size: 7 7/8 in

Prod.Casing From: 0.00

To: 3100.00

Casing Description: 5 1/2 in 17#/ft N-80

Number of Joints: 71

Length: 3049.00

Lead Cement: 50/50 POZ, 8%D20, 10%D44, 2%S001, 1/4#/sk Amount: 300.00

D29

Tail Cement: 10-1 RFC

Amount: 85.00

Cement Report: rigged up hall., had safety meeting, tested lines, then pumped 25 bbls. Of water then 10 bbl. Gell pill finished filling casing, broke circulation, pumped 300 sks of 50/50 poz & 85 sks of rfc, displaced with 71 bbls. Of water with 8 bbls. Of good cement returns, plug down time @ 4:45pm, tested plug, rigged down hall. Nippled down bop, nippled up wellhead, shut down for

night. bs

Float Equipment: 5 1/2 float shoe

Centralizers ran on: 2,5,9,13,21,

### **Drilling Data**

DAY 1 6/27/01

CURRENT DEPTH: 320 CURRENT OPERATIONS: test bope,

**ROTATING HRS: 3.25** 

7am-11am no activity, 11am-2pm move on location, 2pm-3:30pm service equipment, r/up, 3:30pm-4:30pm spud @ 3:30pm 6/26/01, drill & set 7ft of conductor, 4:30pm-5pm n/up to drill 11in hole, 5pm-7:45pm drill 320ft of 11in hole, 7:45pm-9pm rih w/ 8 5/8in guide shoe + 11 jts of 8 5/8in csg, land @ 314ft, hole gassing hard, 9pm-9:30pm cement surface pipe, close valve @ 9:30pm 6/26/01, 15 bbls good cement to surface, 9:30pm-2:30am woc, 2:30am-5:30am break loose, n/up bope & manifold, 5:30am-6:30am test bope, 6:30am-7am n/up to drill 7 7/8in hole, LS

**Estimated Daily Cost:** 

DAY 2 6/28/01

CURRENT DEPTH: 2960 CURRENT OPERATIONS: drilling @ 2960ft

**ROTATING HRS: 18.5** 

7am-8am rih, drill out cement, 8am-10am drilling 7 7/8in hole @ 800ft, 10am-12pm drill 800-1190ft, 12pm-3pm drill 1190-1730ft, 3pm-5:30pm drill 1730-2210ft, 5:30pm-6pm condition hole, 6pm-8pm pooh, 8pm-9pm rih w/ 7 7/8in tri-cone + drill collars, 9pm-10:30pm finish rih, 10:30pm-12am drill to 2360ft, 12am-4am drill 2360-2780ft, 4am-6am drill 2780-2900ft, 6am-7am drill 2900-2960ft,

**Estimated Daily Cost:** 

ost:

DAY 3 6/29/01

CURRENT DEPTH: 3100 CURRENT OPERATIONS: run 5 1/2 casing

**ROTATING HRS: 2.00** 

7am-9am drilling to 3100 ft., 9am-10am cleaned hole, 10am-11am tripped upto check valve, 11am-12pm mixed mud, 12pm-1pm tripped to bottom, 1pm-3pm short tripped, 3pm-4pm circulated 1hr., 4pm-7pm tripped out of hole, 7pm-7:30pm laid down drill collars,7:30pm-9:30pm logged well, 9:30pm-10pm rigged down loggers released rig, 10pm-1am moved rig, 1am-7am no activity. Bs

**Estimated Daily Cost:** 

DAY 4 6/30/01

CURRENT DEPTH: 3100 CURRENT OPERATIONS: scraper run

**ROTATING HRS: 0.00** 

rigged up rig & set pipe racks, unloaded casing, took off thread protector, talley pipe, change over to 5 1/2 equipment, tripped in hole with 71 jts of casing, landed @ 3048.68, hooked up hall. & cemented well, pumped 300 sks of lead & 85 sks of tail, displaced with 71 bbls. Of water, plug down @ 4:45pm with 8 bbls. Of cement returns, tested plug & rigged down hall., nippled down bop & nippled up well head, shut down for night. Bs

**Estimated Daily Cost:** 

DAY 5 7/1/01

**CURRENT DEPTH: 3200** 

**CURRENT OPERATIONS: none** 

**ROTATING HRS: 0.00** 

changed over to 2 7/8 equipment, tripped in hole with 4 3/4 scraper & 95 jts of tubing, tagged up @ 3049, tripped out laying down, rigged down, shutdown. Bs

**Estimated Daily Cost:** 

**Cum. Estimated Daily Cost:** 



Frac Data

**Completion Data** 

OPERATOR Phillips Petroleum Company

OPERATOR ACCT. NO. 1475

**ENTITY ACTION FORM - FORM 6** 

ADDRESS 6825 S. 5300 W. P.O. Box 851 Price, UT 84501

ACTION	CURRENT	NEW	API NUMBER	WELL NAME	E WELL LOCATION SPUD DATE   EFFECTIV						EFFECTIVE
CODE	ENTITY NO.	ENTITY NO.			QQ	SC	TP.	RG	COUNTY		DATE
A	99999	13187	43-007-30632	USA 05-410	SENE	05	14S	09E	Carbon	06/20/01	7-16-01
WELL 1 C	COMMENTS:	New single	well, new spud out	side PA and outside of Unit boundary							
7-16	6-01										
A	99999	13188	43-007-30628	USA 03-414	NESE	03	14S	09E	Carbon	06/23/01	7-16-01
WELL 2 C	COMMENTS:	New single	e well, new spud ou	tside PA but inside of Unit boundary							
7-16	6-01										
A	99999	13189	43-007-30608	Utah 02-404	NENW	02	148	09E	Carbon	06/26/01	7-16-01
WELL 3 (	COMMENTS:	New single	e well, new spud ou	tside PA but inside of Unit boundary							
7-16	6.01										
A	99999	13190	43-007-30609	Utah 02-403	SWNE	202	14S	09E	Carbon	06/29/01	7-16-01
WELL 4 C	COMMENTS:	New single	e well, new spud ou	tside PA but inside of Unit boundary		,					
7-16	6-01										
Α	99999	13191	43-007-30714	Utah 27-458	SESE	27	14S	08E	Carbon	06/29/01	7-16-01
WELL 5 C	COMMENTS:	New single	well, new spud outs	side PA but inside of Unit boundary					•		
7-10	6-01	<i>چ</i>	,					NA	L		
ACTION CO	ODES (See In	structions on t	pack of form)		CO	NFI	DEN	TIAI	*		. 10 1.
18	3 - Add new w	ell to existing e	ew well (single well on entity (group or unit we existing entity to anoth		VE	D		- 17 bbs	Frankie Hatha Signature	away Winn	eio Hatha

- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

**DIVISION OF** OIL, GAS AND MINING

JUL 1 2 2001

Signature

Administrative Assistant

7/2/01 Date

Phone No. <u>(435)613-9777</u>

(3/89)

50040		<b>*</b>	of UT						
FORM 8	DI		TE OF UTAH I <b>II., GAS AND</b>	MINING			5. LEAS	E DESIGNATION	I AND SERIAL NO.
			•				М	<sub>-</sub> 47795	
	OMBL ETION	LOD DEGO	TABLETION	DEDODT					OR TRIBE NAME
	OMPLETION			REPORT /	AND L	_OG	N/A	4	
la. TYPE OF WELL: b. TYPE OF COMPLETION		ELL GAS WELL	X DRY	Other	ne.		7. UNIT	AGREEMENT N	AME
NEW WELL X		EP- PLUG BACK	DIFF. RESVR.	Other		The same of the sa			h UTU-67921X
2. NAME OF OPERATOR							4	OR LEASE NAM	ИE
2. NAME OF OPERATOR	Dhilling D	etroleum Compa	anv e <sup>m</sup>	ara da mangana a ang m	-cialwanes - copics (7)	and the same	Uta 9. WELL		<b></b>
3. ADDRESS OF OPERAT		choleum compa	arry				_	-404	
6825 S.	5300 W. P.O. B	Box 851 Price, U	tah 84501 (435	) 613-9777EN	ITIAL	1 de 1		D AND POOL, O	R WILDCAT
4. LOCATION OF WELL (Re	eport location clearly and in		1	EXPIRE	.)	\ F		ınkards Wa	
At surface	7' FNL 1 <del>644'</del> F'		i f	ON 8-28		<i>&gt;</i>		, T., R., M., OR BI AREA	LOCK AND SURVEY
At top prod. interval	reported below		\$			Ä	1		2, T14S, R09E
At total depth				DATE ISS		419 ET. Care	12. COU		13. STATE
			43-007-30		.0/7/99		Carbo		Utah
15. DATE SPUDDED 6/26/01	16. DATE T.D. REAG 6/28/01	(17. DAT prod)/2	E COMPL. (Ready to 8/01 (Plug & Abd.	r   GR 5601		B, RT, GR, ETC.)		19. E N/A	LEV. CASINGHEAD <b>A</b>
20. TOTAL DEPTH, MD &		UG BACK T.D., MD & T	VD 22 15 A	ALII TIDI E COMDI		23. INTERV DRILLEI		ROTARY TO	OLS CABLE TOOLS
3100' 24. PRODUCING INTERV		3049'		W MANY N/A		DRILLEI	<sup>'¹¹¹</sup> >	to TD	N/A
									25. WAS DIRECTIONAL
26 TYPE ELECTRIC AND	op Coal 2656' & OTHER LOGS RUN	BLICOLOGIE	- 9-16-01	7-5-01	27. WAS W	ELL CORED	YES 🗖	NO 🖸 (	SURVEY MADE Submit analysis)
Dual Induction,	Laterolog, SFF,	GR, Caliper, Co	mp Density, & 1	Neutron'			YES D	NO 🗖 (	See reverse side)
28.  CASING SIZE	NEIGHE I D (CE	DEPART OF A 4D)	CASING RECO	ORD (Report all strin		EMENT RECOR			AMOUNT PULLED
	WEIGHT, LB./FT.	DEPTH SET (MD)		150 -1 - 01				#/-1- F11	AMOONT POLLED
12 3/4" 8 5/8"	Conductor  3.5.5.24#	7' 314'	15"	150 sks Class 300sks 50/50					
5 1/2"	150 17#	3049'	7 7/8"	85 sks 10-1 R	FC (Thi	xtropic)	·	-	<u> </u>
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
29.		RECORD			30.		TUBIN	NG RECORD	
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	SIZ	ZE .	DEPTH S	SET (MD)	PACKER SET
					2-7	/8"	28'	74'	N/A
31, PERFORATION RECO	RD (Interval size and mont	ber)		32.	AC	ID SHOT FRA	CTURE CE	EMENT SQUEEZ	YE ETC
Ferron Coal 1) Upper: <b>2656'-</b> 26		,	4spf. 88"	DEPTH INTERVA				KIND OF MATE	
2) Middle: 2700'-2	704', 2707'-2718', 2		2742',	Upper 2656'-26	72'	95.000#. 1	6/30: 38	,971 gal flui	d
2749'-2751', 2761' 3) Lower: 2740'-2	-2764`, 2772`-2774`, 742`, 2749`-2751`, 2	, 2790′-2792′ 761 <b>'-</b> 2764', 2772'-2	4spf .88" 2774',	Middle 2700'-2					48,229 gal fluid
2790' <b>-2792'</b>			4 spf .88"	Lower 2740' 2'	<del>/92*</del>	15,000# 20	)/40; 2,50	00# 16/30;	3,796 gal fluid
DATE FIRST PRODUCTION	DRODUCTION	N METHOD (Flouring and	s lift, pumpingsize and ty	PRODUCTION				Lweire	TATUS (Producing or
8/2/01		- 2 1/2" x 2" x 1		pe oj punij)				shut-in)	Producing or
DATE OF TEST 8/2/01	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OILBBL. N/A	GAS	MCF. 39	WATE	RBBL. 230	GAS-OIL RATIO
FLOW. TUBING PRESS.	24hrs.  CASING PRESSURE	CALCULATED	OILBBL.	GASMCF		WATER-	BBL.		RAVITI - API (CORR.)
115	113	24-HOUR RATE	N/A		39		230	N/	A
34. DISPOSITION OF GAS	(Sold,used for fuel, vented, SOLI			TEST WITNE Jerry H				DIC	
35. LIST OF ATTACHMEN	VTS		<del></del>	<u></u>		Transport	U	<del>'IVIU</del>	1737

See Spaces for Additional Data on Reverse Side

TITLE Permitting Analyst

36 I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

DATE 9/12/01

SIGNED Jean Semborski

WELL NUMBER: Utah 02-404

S		TRUE VERT. DEPTH						
GEOLOGIC MARKERS	TOP	MEAS.DEPTH	3500'	2937'	2281'			
38. GE	:	NAME	Blue Gate Bentonite	Tununk Shale	Ferron Sandston			
ones of porosity and ed, time tool open,	DESCRIPTION, CONTENTS, ETC.	Coals and Sandstones	Coal Interval: 2306'-2441'					
	BOTTOM	2441'				 		
JS ZONES: (Show all g depth interval tested,	TOP	2306'	.,		-		4.4444	
37 SUMMARY OF POROU drill-stem, tests, including recoveries):	FORMATION	Ferron						

# STATE OF UTAH



אוועובוטא כ	OF OIL, GAS AND MINI	NG		
BIVIOIOIV	OIL, OAO AND MINI	140	5. Lease Designation and Serial Number:	
			ML-47795	
SUNDRY NOTICES A	ND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:	
			N/A	
Do not use this form for proposals to drill new wells, d	eepen existing wells, or to reenter plugg	ged and abandoned wells.	7. Unit Agreement Name:	
Use APPLICATION FOR PERMIT T	O DRILL OR DEEPEN form for such pr	oposals.	UTU67921X Drunkards Wash	
1. Type of Well: OIL 🛘 GAS 🖄 OTHER:	Barray	MENTINI	8. Well Name and Number:	
		<u> DLIAIIAL — </u>	UTAH 02-404	
2. Name of Operator: Phillips Petroleu	ım Company		9. API Well Number:	
*			43-007-30608	
3. Address and Telephone Number:	Vest, P.O. Box 851, Price, U	T 94501 (425) 612 0777	10. Field or Pool, or Wildcat:	
		1 84301 (433) 613-9777	Drunkards Wash	
4. Location of Well Footages: 8/6 1077 FNL, 1644 FWL			County: Carbon County	
QQ, Sec., T., R., M.: NE/NW, Sec.02, T14S			State:	
<u> </u>			<u>Utah</u>	
11. CHECK APPROPRIATE BOXES TO	INDICATE NATURE C	OF NOTICE, REPORT	, OR OTHER DATA	
NOTICE OF INTENT	•	S	SUBSEQUENT REPORT	
(Submit in Duplicate)			(Submit Original Form Only)	
□ Abandon	☐ New Construction	☐ Abandon *	□ New Construction	1
☐ Repair Casing	☐ Pull or Alter Csg	☐ Repair Casing	☐ Pull or Alter Csg	
☐ Change of Plans	□ Recomplete	☐ Change of Plans	☐ Reperforate	
☐ Convert to Injection	☐ Reperforate	☐ Convert to Injection	☐ Vent or Flare	
☐ Fracture Treat or Acidize	☐ Vent or Flare	Fracture Treat or Acid		
☐ Multiple Completion	□ Water Shut-Off		l/Flush Treatment	
☐ OtherApproximate date work will start	<del></del>	Date of work completion _	02.20,02	
Approximate date work will start		Bonort regults of Multiple Comple	stions and Recompletions to different reservoirs on WELL	
		COMPLETION OR RECOMPLETI		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical deaths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 2550 gallons of low Ph fluid & 300 gallons of 15% HCL on 02/28/02.

\* Must be accompanied by a cement verification report.

13. DON 200 2				
Name & Signature: Lynnette Allred The College of th	Title:	Administrative Assistan	nt Date: 03/12/02	
(This space for state use only)				



ORIGINAL

RM 9		STATE OF UT

2 2 . 6	DIVISION OF OIL, GAS AND MINING					
amented?	DIVIDION OF OIL, OAS AND WIIMING	5. Lease Designation and Serial Number:				
		ML-47795				
SUND	RY NOTICES AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name:				
CONDICT NOTICES AND INC. ON WELLS		N/A				
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.		7. Unit Agreement Name:				
	APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.	UTU67921X Drunkards Wash				
1. Type of Well: OIL 🛘 GAS 💆 OTHER:		8. Well Name and Number:				
		UTAH 02-404				
2. Name of Operator: Phillips Petroleum Company		9. API Well Number:				
		43-007-30608				
3. Address and Telephone Number: 6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777		10. Field or Pool, or Wildcat:				
		Drunkards Wash				
4. Location of Well Footages:	6' FNL, 1732' FWL	County: Carbon County				
QQ, Sec., T., R., M.:	E/NW , Sec.02, T14S, R09E, SLB&M	State: Utah				
11 CHECK APPROP	PRIATE BOXES TO INDICATE NATURE OF NOTICE REPORT	OR OTHER DATA				

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA								
NOTICE OF INTENT (Submit in Duplicate)			SUBSEQUENT REPORT (Submit Original Form Only)					
	Abandon		New Construction		Abandon *		New Construction	
	Repair Casing		Pull or Alter Csg		Repair Casing		Pull or Alter Csg	
	Change of Plans		Recomplete		Change of Plans		Reperforate	
	Convert to Injection		Reperforate		Convert to Injection		Vent or Flare	
	Fracture Treat or Acidize		Vent or Flare		Fracture Treat or Acidize		Water Shut-Off	
	Multiple Completion		Water Shut-Off	X	Other Chemical/Flush Treatment	0/0	<del></del>	
	Other			Dat	te of work completion 02/2	.8/U∠	<u>'</u>	
App	proximate date work will start							
			oort results of Multiple Completions and Recompletions to differe MPLETION OR RECOMPLETION REPORT AND LOG form.	ent res	ervoirs on WELL			
				* Must be accompanied by a cement verification report.				

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 2550 gallons of low Ph fluid & 300 gallons of 15% HCL on 02/28/02.

APR 17 2002

DIVISION OF OIL, GAS AND MINING

13.				
Name & Signature: Lynnette Allred ( ). ( ) ( )	Title:	Administrative Assistant	Date: 03/12/02	
(This space for state use only)				-



Re:

Notice of Address Change, Merger and Name Change

Address Change effective December 2, 2002

Merger and Name Change effective December 31, 2002

Divisions of Oil, Gas, and Mining Attn: Mr. John Baza

9739 Dr. Pyravsta C. Stella G.

1594 West North Temple, Suite 1210, P. O. Box 145801 Salt Lake City, UT 84114-5801

### Gentlemen:

- Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.
- 2. On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

### U.S. Mail Address:

ConocoPhillips Company P.O. Box 2197 Houston, Texas 77252 Attn: Chief Landman, San Juan/Rockies

### Physical Address & Overnight Delivery:

ConocoPhillips Company 550 Westlake Park Blvd. Three Westlake Park 3WL, Room WL 9000 Houston, Texas 77079 Attn: Chief Landman, San Juan/Rockies

All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

Attn: Chief Landman.

San Juan/Rockies

Fax No.: 832-486-2688 or

832-486-2687

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters Wellian Painbak

Sincerely,

RECLIVED

DEC 0 2 2002

**DIVISION OF** OIL, GAS AND MINING

# E OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING 5. LEASE DESIGNATION AND SERIAL NUMBER: 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL OTHER All OIL WELL GAS WELL See Attached List 2. NAME OF OPERATOR: 9. API NUMBER: Phillips Petroleum Company See List 3. ADDRESS OF OPERATOR: PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: CITY Bartlesville 74004 980 Plaza Office (918) 661-4415 4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF ACTION TYPE OF SUBMISSION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION NOTICE OF INTENT FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) ALTER CASING Approximate date work will start: CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR VENT OR FLARE CHANGE TUBING PLUG AND ABANDON SUBSEQUENT REPORT PLUG BACK WATER DISPOSAL CHANGE WELL NAME (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Conoco Inc. was merged into Phillips Petroleum Company, the surviving corporation, on December 31, 2002. In connection with this merger and effective on the same date, the name of the surviving corporation was changed to "ConocoPhillips Company". We are requesting that a new Operator Number be assigned to ConocoPhillips Company. Please send production reporting forms to Herb Henderson at ConocoPhillips Company, 315 S. Johnstone, 980 Plaza Office, Bartlesville, OK 74004. Herb's phone number is 918-661-4415. **Current Operator New Operator** 

Phillips Petroleum Company

Steve de Albuque

ConocoPhillips Company

Ýolanda Perez

RECEIVED

JAN n 8 2003

DIV. OF OIL, GAS & MINING

Yolanda Perez Sr. Regulatory Analyst NAME (PLEASE PRINT) 12/30/2002

(This space for State use only)



# SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:

- 1. As Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation.
- 2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12<sup>th</sup> day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.
- 3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12<sup>th</sup> day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.

Assistant Secretary nocoPhillips Company

STATE OF TEXAS

Ş

**COUNTY OF HARRIS** 

§ §

This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said Corporation.

RECEIVED

JAN 0 8 2003

DIV. OF OIL, GAS & MINING



# The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

> **RECEIVED** JAN 0 8 2003

DIV. OF OIL, GAS & MINING

0064324 8100

030002793

Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183360

DATE: 01-02-03

#### CERTIFICATE OF AMENDMENT

#### to the

#### RESTATED CERTIFICATE OF INCORPORATION

of

# PHILLIPS PETROLEUM COMPANY (to be renamed ConocoPhillips Company)

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

- 1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.
- 2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

- 3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:
  - "Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."
- 4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

HOU03:884504.1

JAN n 8 2003

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this 12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

B

Name: Rick A. Harrington

Title: Senior Vice President, Legal,

and General Counsel

HQU03:884504.1

RECEIVED JAN 0 8 2003

DIV. OF OIL, GAS & MINING



# The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,

WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILLIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

RECEIVED

JAN 0 8 2003

DIV. OF OIL, GAS & MINING

Warriet Smith Hindson

AUTHENTICATION: 2183370

DATE: 01-02-03

0064324 8100M

030002793

STATE OF DELAWARE (THU) | 2. | 2 | 02 | 3: 35/ST. | 3:5407487496 0756749EP | 16 DIVISION OF CORPORATIONS FILED 01: 44 PM 12/12/2002 020763253 - 0064324

#### CERTIFICATE OF MERGER

of

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company (a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

NAME

STATE OF INCORPORATION

PHILLIPS PETROLEUM COMPANY

Delaware

CONOCO INC.

Delaware

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079:

**RECEIVED** 

JAN 0 8 2003

Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY

(a Delaware corporation)

W

Name: Kick A. Harrington

Title: Senior Vice President, Legal, and General Counsel

RECEIVED
JAN 0 8 2003



#### **CONOCOPHILLIPS COMPANY**

Corporation - Foreign - Profit 562960-0143

REFERENCE NUMBER(S). CLASSIFICATION(S) & DETAIL(S)

56296

EFFECTIVE 06/14/1946

EXPIRATION \*RENEWAL

UNITED STATES CORP CO
CONOCOPHILIPS COMPANY
GATEWAY TOWER EAST STE 900
10 EAST SOUTH TEMPLE
SLC UT 84133

RECEIVED

JAN 0 8 2003

DIV. OF OIL, GAS & MINING

# STATE OF UTAH DEPARTMENT OF COMMERCE DIVISION OF CORPORATIONS & COMMERCIAL CODE

## REGISTRATION

**EFFECTIVE DATE:** 

06/14/1946

**EXPIRATION DATE:** 

\*RENEWAL

**ISSUED TO:** 

**CONOCOPHILLIPS COMPANY** 



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

<del>562960-0143</del>

Corporation - Foreign - Profit

\*RENEWAL

You will need to renew your registration each anniversary date of the effective date. Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	DawT	Rnan	Rnad
43-007-30887-00-00		Gas Well	APD	32	14		10	
43-007-30865-00-00		Gas Well	APD	29	14		10	
43-007-30837-00-00		Gas Well	APD	32	13			E
43-047-34551-00-00		Gas Well	APD	24	10		17	
43-047-33982-00-00		Gas Well	APD	17	10		18	
43-047-34471-00-00		Gas Well	APD	29		S	19	
43-047-34472-00-00		Gas Well	APD	31		S	19	
	MCKENDRICK 29-548	Gas Well	APD	29	14		10	
43-015-30512-00-00		Gas Well	APD	19	16			E
43-015-30515-00-00		Gas Well	APD	24	16			Ε
43-015-30548-00-00		Gas Well	APD	30	16		9	E
43-007-30888-00-00		Gas Well	APD	32	14		10	
43-007-30813-00-00		Gas Well	APD	33	13			E
43-007-30766-00-00			APD	33	13			Ε
43-007-30838-00-00			APD	32	13		9	
43-007-30863-00-00	SCHMIDT 29-531		APD .	29	14		10	
43-007-30797-00-00		Gas Well	APD	15	14		8	
43-007-30798-00-00	SEELY 15-499	Gas Well	APD	15	14		8	
43-007-30799-00-00		Gas Well	APD	15	14		8	
43-007-30796-00-00		Gas Well	APD	22	14			E
43-007-30801-00-00	SEELY 22-502	Gas Well	APD	22	14	S	8	
43-007-30802-00-00	SEELY 22-503	Gas Well	APD	∘ 22	14	s ·	8	
43-007-30711-00-00	USA 09-452	Gas Well	APD	9	15	S	8	E
43-015-30351-00-00	USA 11-313	Gas Well	APD	11	16	S	9	E
43-015-30398-00-00	USA 12-385	Gas Well	APD	12	16	S	9	Е
43-015-30409-00-00	USA 12-426	Gas Well	APD	12	16	S	9	
43-007-30805-00-00	USA 14-490	Gas Well	APD	14	14	S	8	E
43-007-30806-00-00	USA 14-491	Gas Well	APD	14	14	S	8	
43-007-30676-00-00	USA 15-421	Gas Well	APD	15	15	S	8	E
43-015-30417-00-00	USA 21-427	Gas Well	APD	21	16		9	E
43-015-30416-00-00	USA 21-428	Gas Well	APD	21	16		9	Ε
43-015-30415-00-00	USA 21-429	Gas Well	APD	21	16		9	
43-007-30515-00-00	USA 31-309	Gas Well	APD	31	15		10	
43-007-30835-00-00			APD	33	13		9	
43-007-30836-00-00		Gas Well	APD	33	13		9	
43-007-30803-00-00	USA 34-518	Gas Well	APD	34	14		8	
43-007-30478-00-00		Gas Well	APD	5	15		9	
43-015-30411-00-00			APD	16	16		9	
43-015-30412-00-00			APD	16	16		9	
43-015-30413-00-00			APD	16	16		9	
43-015-30299-00-00			APD	18	16		9	
43-015-30420-00-00			APD	19	16		9	
43-015-30492-00-00			APD	19	16		9	
43-007-30891-00-00	<del></del>		APD	19	14		10	
43-015-30414-00-00			APD	20	16		9	
43-015-30421-00-00			APD	20	16		9	
43-015-30518-00-00	·		APD	25	16		8	
43-015-30539-00-00			APD	25	16		8	
43-015-30540-00-00	· · · · · · · · · · · · · · · · · · ·		APD	25	16		8	
43-007-30817-00-00	· · · · · · · · · · · · · · · · · · ·		APD	25	13		9	
43-015-30543-00-00			APD	26	16		8	
43-015-30547-00-00			APD	29	16		9	
43-007-30889-00-00			APD	32	14		10	
43-007-30814-00-00	UTAH 35-506	Gas Well	APD	35	13	S	9	<u>E</u>



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-047-33750-00-00	II	Gas Well	Ρ.	29		S	19	
	GAROFOLA 26-482	Gas Well	P	26	15			E
	GIACOLETTO 11-113	Gas Well	P	11	14		9	Ε
	GIACOLETTO 13-120	Gas Well	Р	13	14		9	
	GIACOLETTO 14-121	Gas Well	P	14	14		9	
	HELPER & ASSOC 07-307	Gas Well	P	7	15		9	
	HELPER & ASSOC 18-236	Gas Well	P	18	15		9	
	HELPER & ASSOC 18-308	Gas Well	P	18	15		9	F
	HELPER & ASSOC 8-232	Gas Well	Р	8	15		9	F
	HELPER & ASSOCIATES 7-84	Gas Well	P	7	15		9	Ē
43-007-30588-00-00		Gas Well	Р	16	15		10	
	KAKATSIDES 31-197	Gas Well	P	31	14		9	
43-007-30296-00-00		Gas Well	P	17	15		10	
43-007-30323-00-00		Gas Well	.P	16	14		9	
	PETES WASH 23-12 #1	Gas Well	P ::	12	10			Ē
43-047-34260-00-00		Gas Well	P	25	15		8	
43-007-30749-00-00		Gas Well	P	25	15		8	
	l		P	26	15		8	
43-007-30754-00-00			P	26	15		8	-
43-007-30755-00-00			P		15		8	
43-007-30745-00-00			·	26	14		9	
	PINNACLE PEAK 19-171		P	19	15		8	
43-007-30845-00-00			P	10	15		10	
43-007-30282-00-00		Gas Well	P	19				
43-007-30283-00-00		Gas Well	P	19	15		10	
43-007-30346-00-00		Gas Well	P	30	15		10	
43-015-30279-00-00		Gas Well	Р	10	16		8	<u> </u>
43-015-30494-00-00		Gas Well	P	15	16			E
	PRETTYMAN 10-15-34		P	10		S	9	E
	PRETTYMAN 11-114	Gas Well	Р	11		S	9	E
43-007-30653-00-00		Gas Well	P	21	15		9	E
43-007-30743-00-00			Г	21	15		9	E E
43-007-30747-00-00			P	25	15		8	트
43-007-30559-00-00			P	28	15		9	E
43-007-30518-00-00			Р	28	15			E
43-007-30509-00-00			Р	3	14		9	
43-007-30473-00-00			P	5	14		9	
43-007-30474-00-00			P	5	14		9	
43-007-30475-00-00			P	8	14		9	
43-007-30479-00-00			P	8	14		9	
43-007-30476-00-00			P	8	14		9	
43-007-30374-00-00	ROBERTSON 32-127	Gas Well	Ρ	32	14		10	
43-007-30610-00-00	SAMPINOS 16-131	Gas Well	Ρ	16	15		10	
43-007-30723-00-00	SAMPINOS 16-454	Gas Well	P	16	15		10	
43-007-30765-00-00	SAMPINOS 16-521	Gas Well	Р	16	15		10	
43-007-30800-00-00	SEELY 22-501	Gas Well	Р	22	14	S	8	
43-007-30130-00-00	ST OF UT 25-9-1	Gas Well	Р	25	14	S	9	
43-007-30142-00-00	ST OF UT 36-3-4	Gas Well	Р	36	14	S	9	E
	STELLA-HAMAKER 10-174	Gas Well	Р	10	15	S	8	E
43-007-30746-00-00			Р	23	15	s	8	
43-007-30319-00-00			P	15	14		9	
43-007-30322-00-00			Р	16	14		9	
43-007-30300-00-00			P	19	14		9	
43-007-30299-00-00			Р	19	14		9	
43-007-30327-00-00			P	20	14		9	
13 331 33021-00-00		JUG TTOII	·			-		



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30631-00-00	USA 13-419	Gas Well	P	13	15		8	E
43-007-30707-00-00	USA 13-447	Gas Well	Р	13	14		8	E
43-007-30706-00-00	USA 13-470	Gas Well	Р	13	14	1		E
43-007-30789-00-00	USA 13-474	Gas Well	P	13	14			E
43-007-30790-00-00	USA 13-475	Gas Well	Р	13	14		8	E
43-007-30568-00-00		Gas Well	P	13	14		9	E
43-007-30404-00-00		Gas Well	P	14	14		9	E
43-015-30418-00-00		Gas Well	P	1	16		9	F
43-007-30579-00-00		Gas Well	P	14	15		8	
43-007-30634-00-00	1	Gas Well	P	14	15		- 8	
43-007-30646-00-00		Gas Well	P	14	15		8	
43-007-30647-00-00		Gas Well	Р	14	15		8	<u> </u>
43-007-30791-00-00		Gas Well	P	14	14		8	E
43-007-30792-00-00		Gas Well	P	14	14		8	E
43-007-30529-00-00		Gas Well	P	14	14		9	=
43-007-30263-00-00		Gas Well	P	14	14		9	E E
43-007-30450-00-00		Gas Well	P	15	14		9	E
43-007-30423-00-00		Gas Well	Р	15	14			E
43-007-30690-00-00		Gas Well	Р	15	15		8	
43-007-30691-00-00		Gas Well	Р	15	15		8	
43-007-30264-00-00		Gas Well	P	15	14		9	
43-007-30422-00-00		Gas Well	P	17	14		9	
43-007-30622-00-00		Gas Well	P	17	14		9	
43-007-30618-00-00		Gas Well	P	18	14		9	듣니
43-007-30417-00-00		Gas Well	P	18	14		9	듣니
43-007-30619-00-00		Gas Well	P	18	14		9	
43-007-30313-00-00		Gas Well	P	19	15		10	
43-007-30393-00-00		Gas Well	P	19	15		10	
43-007-30392-00-00		Gas Well	P	20	15		10	
43-007-30451-00-00			P	20	15		10	
43-007-30590-00-00		Gas Well	P	20	15		10	
43-007-30590-00-00			P	20	15		10	
43-007-30391-00-00		Gas Well	P	21	14		9	
43-007-30425-00-00		Gas Well	P	21	14		9	
43-007-30425-00-00			P	22	14		9	<del>-</del> -
43-007-30420-00-00			·	_			-	
43-007-30700-00-00			P	22	14		9	
43-007-30611-00-00			P	22	15			
43-007-30650-00-00			P	23	14		8	
43-007-30650-00-00			P	23	15		8	
43-007-30704-00-00			P	23	15		8	
43-007-30503-00-00			P	23	15		8	
			P	23	14		8	
43-007-30794-00-00			P	23	14		8	
43-007-30795-00-00			P	23	14		8 1	
43-007-30469-00-00			P	24	14		8	
43-007-30612-00-00			P	24	14		8	
43-007-30613-00-00			P	24	14		8 1	
43-007-30651-00-00			P	24	15		8 1	
43-007-30648-00-00			P	24	15		8 1	
43-007-30708-00-00			Р	24	14		8 1	Ε
43-007-30652-00-00	The state of the s		P	24	15		8	Ε
43-007-30705-00-00			P	24	15		8	
43-007-30505-00-00			Р	25	15		8	
43-007-30614-00-00	USA 26-393	Gas Well	Ρ	26	14	S	8	Ε]



API Well Number	Well Name	Well 1	Γvpe	Well Status	Sec	Twpn	Twpd	Rnan	Rnad
43-007-30430-00-00		Gas V		Р	6	15			E
43-007-30562-00-00		Gas V		P	6	15			E
43-007-30716-00-00		Gas V		P	6	15			E
43-007-30409-00-00		Gas V		Р	7	15			E
43-007-30421-00-00		Gas V		' Р	7	15			E
43-007-30421-00-00		Gas V		' Р	8	15		9	
43-007-30488-00-00		Gas V		P	8	15		9	
		Gas V		P	8	16			E
43-015-30464-00-00				P	8	16			E
43-015-30378-00-00		Gas V		<u>Р</u>	8	16			E
43-015-30379-00-00		Gas V		P	8	16		9	
43-015-30380-00-00		Gas V			9	15		9	
43-007-30449-00-00		Gas V		Р					E _
43-007-30561-00-00	····	Gas W		P	9	15			
43-015-30300-00-00		Gas V		P	9	16		9	
43-015-30407-00-00		Gas V		P	9	16		9	
43-015-30397-00-00		Gas V		Р	9	16		9	
43-015-30408-00-00		Gas V		P	9	16		9	
43-007-30580-00-00		Gas V		P	9	15		10	
43-007-30605-00-00		Gas V		Р	9	15		10	
43-007-30657-00-00		Gas W		Р	9	15		10	
43-007-30722-00-00	UTAH 09-453	Gas W		P	9	15		10	
43-007-30302-00-00	UTAH 10-01-36	Gas W		P	10	15		9	
43-007-30298-00-00	UTAH 10-219	Gas W		Р	10	15		9	
43-007-30432-00-00	UTAH 10-220	Gas W		Р	10	15			Е
43-007-30303-00-00	UTAH 10-221	Gas W		P	10	15		9	
43-007-30228-00-00	UTAH 11-50	Gas W	Vell	Р	11	15		9	
43-007-30229-00-00	UTAH 11-51	Gas W	/ell	Р	11	15		9	
43-007-30230-00-00	UTAH 11-52	Gas W	/ell	Р	11	15		9	
43-007-30231-00-00	UTAH 11-53	Gas V	Vell	Р	11	15			E
43-007-30467-00-00	UTAH 1-209	Gas W	/ell	Р	1	15		8	E
43-007-30210-00-00	UTAH 12-15-37	Gas W	Vell	Р	12	15	S		Ε
43-007-30232-00-00	UTAH 12-54	Gas W	/ell	P	12	15	S	9	E
43-007-30233-00-00	UTAH 12-55	Gas W	/ell	Р	12	15	S	9	E
43-007-30234-00-00	UTAH 12-56	Gas W	/ell	Р	12	15	S	9	Е
43-015-30493-00-00	UTAH 13-376	Gas W	Vell	Р	13	16	S	8	Е
43-015-30301-00-00		Gas W		Р	13	16		8	Е
43-007-30243-00-00		Gas W		Р	13	15	S	. 9	E
43-007-30244-00-00		Gas W		Р	13	15	S	9	E
43-007-30245-00-00		Gas W		Р	13	15		9	E
43-007-30246-00-00		Gas W		P	13	15			E
43-007-30439-00-00		Gas W		P	13	14			E
43-007-30220-00-00		Gas W		P	1	15			Е
43-007-30221-00-00		Gas W		P	1	15			E
43-007-30222-00-00		Gas W		P	1	15		9	
43-007-30223-00-00		Gas W		P	1	15			E
43-015-30330-00-00		Gas W		Р	14	16			E
43-015-30331-00-00		Gas W		P	14	16			E
43-007-30239-00-00		Gas W		P	14	15		a	E
43-007-30239-00-00		Gas W	-	P	14	15			E
		Gas W		P	14	15			E
43-007-30241-00-00				P	14	15			E
43-007-30242-00-00		Gas W		P	15	16			E
43-015-30334-00-00		Gas W						10	
43-007-30416-00-00		Gas W		P	17	15			
43-007-30277 <b>-</b> 00-00	UTAH 17-102	Gas W	vell	P	17	15	<u> </u>	10	<u> </u>



API Well Number	Well Name	Well T	vpe	Well Status	Sec	Twnn	Twpd	Rnan	Rnad
43-007-30255-00-00		Gas W		P	24				E
43-007-30256-00-00		Gas W		P	24	15			Ē
43-007-30267-00-00		Gas W		P	24	15			E
43-007-30375-00-00		Gas W		P	24	15		9	
43-007-30227-00-00		Gas W		Р	2	15		9	
43-007-30157-00-00		Gas W		P	25			9	
43-007-30399-00-00		Gas W		Р	25	15		9	
43-007-30400-00-00		Gas W		Р	25	15		9	E
43-007-30401-00-00		Gas W		P	25	15		9	
43-007-30402-00-00		Gas W		Р	25	15		9	E
43-007-30600-00-00		Gas W		Р	25	14		8	E
43-007-30599-00-00	UTAH 25-390	Gas W	$\overline{}$	Р	25	14		8	E
43-007-30658-00-00		Gas W		Р	25	14		8	E
43-007-30602-00-00		Gas W	_	Р	25	14		8	
43-007-30206-00-00	UTAH 25-4-33	Gas W	/ell	Р	25	14		9	
43-015-30519-00-00	UTAH 25-577	Gas W	/ell	Р	25	16		8	
43-007-30156-00-00	UTAH 25-7-6	Gas W	/ell	Р	25	14	S	9	Ē
43-007-30204-00-00	UTAH 26-11-25	Gas W	/ell	Р	26	14		9	
43-007-30205-00-00	UTAH 26-1-23	Gas W	/ell	Р	26	14		9	E
43-007-30181-00-00	UTAH 26-16-8	Gas W	'ell	Р	26	14	s	9	
43-007-30446-00-00	UTAH 26-255	Gas W	'ell	P	26	15	S	9	E
43-007-30445-00-00	UTAH 26-256	Gas W	'ell	P	26	15	S	9	E
43-007-30444-00-00	UTAH 26-257	Gas W	'ell	Р	26	15	S	9	
43-007-30514-00-00	UTAH 26-267	Gas W	'ell	Р	26	15	S	9	Е
43-015-30541-00-00	UTAH 26-580	Gas W	'ell	Р	26	16	S	8	E
43-015-30542-00-00	UTAH 26-581	Gas W	'ell	P	26	16	S	8	E
43-015-30544-00-00	UTAH 26-583	Gas W	'ell	Р	26	16	S	8	Ε
43-007-30202-00-00	UTAH 26-6-24	Gas W	'ell	P	26	14		9	
43-007-30395-00-00		Gas W	'ell	P	27		S	9	
43-007-30292-00-00		Gas W	ell	P	27	14		9	E
43-007-30457-00-00		Gas W		P	27	15			E
43-007-30458-00-00		Gas W		P	27	15			E
43-007-30712-00-00		Gas W		P	27	14		8	
43-007-30714-00-00		Gas W		P	27	14		8	
43-007-30777-00-00	··· ··· ··· ··· ··· ··· ··· ··· ··· ··	Gas W	ell	Р	27	14		8	E
43-015-30545-00-00		Gas W		Р	27	16		8	
43-007-30193-00-00		Gas W		P	27	14		9	
43-007-30186-00-00		Gas W		Ρ	27	14		9	
43-007-30396-00-00		Gas W		P	28	14		9	
43-007-30397-00-00		Gas W		Р	28	14		9	
43-007-30293-00-00		Gas W		Р	28	14	1.	9	
43-007-30294-00-00		Gas W		Р	28	14		9	
43-007-30551-00-00		Gas W		Р	28	15		9	
43-007-30560-00-00		Gas W		P	28	15		9	E
43-007-30405-00-00		Gas W	-	Р	29	14		9	<u> </u>
43-007-30427-00-00		Gas W		P	29	14		9	<u> </u>
43-007-30739-00-00		Gas W		P	29	15		9	<u> </u>
43-007-30740-00-00		Gas W		P	29	15		9	
43-007-30741-00-00		Gas W		P	29	15		9	
43-007-30742-00-00		Gas W		P	29	15		9	
43-007-30262-00-00		Gas W		P	30	14		10	
43-007-30185-00-00		Gas W		2	30	14		10	
43-007-30265-00-00		Gas W		P	30	14		9	
43-007-30344-00-00	UTAH 30-196	Gas W	ell	P	30	14	S	9	<u> </u>



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30178-00-00	UTAH 36-1-2	Gas Well	P	36				E
43-007-30341-00-00	UTAH 36-135	Gas Well	Р	36	15			E
43-007-30343-00-00	UTAH 36-136	Gas Well	Р	36	15		9	E
43-007-30342-00-00	UTAH 36-137	Gas Well	Р	36	15		9	E
43-007-30315-00-00	UTAH 36-162	Gas Well	Р	36	14		8	L
43-007-30316-00-00	UTAH 36-163	Gas Well	Р	36	14		8	
43-007-30317-00-00	UTAH 36-164	Gas Well	Р	36	14			E
43-007-30318-00-00	UTAH 36-165	Gas Well	Р	36	14			E
43-007-30144-00-00	UTAH 36-9-5	Gas Well	Р	36	14		9	Е
43-015-30341-00-00	UTAH 4-280	Gas Well	Р	4	16		9	
43-015-30342-00-00	UTAH 4-282	Gas Well	Р	4	16		9	
43-007-30384-00-00		Gas Well	Р	5	15		9	
43-007-30269-00-00	UTAH 5-94	Gas Well	Р	5	15		10	
43-007-30270-00-00	UTAH 5-95	Gas Well	Р	5	15		10	
43-007-30271-00-00	UTAH 5-96	Gas Well	Р	5	15		10	
43-007-30217-00-00	UTAH 6-38	Gas Well	Р	6	15		10	
43-007-30218-00-00	UTAH 6-39	Gas Well	P	6	15		10	
43-007-30219-00-00	UTAH 6-40	Gas Well	Р	6	15		10	
43-007-30254-00-00	UTAH 6-41	Gas Well	Р	6	15		10	
43-007-30235-00-00	UTAH 7-57		Р	7	15		10	
43-007-30236-00-00	UTAH 7-58	Gas Well	Р	7	15		10	
43-007-30237-00-00		Gas Well	Р	7	15		10	
43-007-30238-00-00		Gas Well	Р	7	15		10	
43-007-30275-00-00		Gas Well	Р	8			10	
43-007-30410-00-00		Gas Well	Р	8	15		9	
43-007-30272-00-00		Gas Well	Р	8	15		10	
43-007-30285-00-00			Р	8	15		10	
43-007-30274-00-00	UTAH 8-99	Gas Well	Р	8	15		10	
43-007-30413-00-00		Gas Well	Ρ	9	15		9	E
43-007-30414-00-00			Р	9	15			E
43-007-30279-00-00			Р	30	14		10	
43-007-30481-00-00	WOOLSTENHULME 05-266	Gas Well	P	5	15		10	
43-015-30250-00-00	UTAH 16-110	Gas Well	Shut_In	16	16	S	9	E



## United States Department of the Interior

# BUREAU OF LAND MANAGEMENT

Eastern States Office 7450 Boston Boulevard Springfield, Virginia 22153

IN REPLY REFER TO 3106.8(932.34)WF

January 16, 2003

#### NOTICE

ConocoPhillips Company

P.O. Box 7500

Bartlesville, Oklahoma 74005

Oil & Gas Leases

#### Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to ConocoPhillips Company and the merger of Conoco Incorporated into ConocoPhillips Company on Federal oil and gas leases, with ConocoPhillips Company being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/W. Their B. Ferber

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

bc: JFO, BLM State Offices, MMS, ES RF, 930 RF, ES-932: Bforbes:wbf:01/16/03:440-1536/ConocoPhillips Co

#### **OPERATOR CHANGE WORKSHEET**

ROUTING

1. GLH 2. CDW

3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has	changed, effective:	12-31-02				
FROM: (Old Operator):		TO: (New On	perator):			
PHILLIPS PETROLEUM COMPANY		CONOCOPHII	LLIPS CON	<b>I</b> PANY		
Address: 980 PLAZA OFFICE		Address: P O E	OX 2197,	WL3 4066		
BARTLESVILLE, OK 74004		HOUSTON, T	X 77252	<del></del>		
Phone: 1-(918)-661-4415	<del></del>	Phone: 1-(832)				
Account No. N1475		Account No.				
	CA No.	Unit:		RDS WASI	1	
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
USA 26-424	26-14S-08E	43-007-30620		FEDERAL	GW	P
UTAH 27-457		43-007-30712		STATE	GW	P
UTAH 27-458		43-007-30714		STATE	GW	P
UTAH 27-520		43-007-30777		STATE	GW	P
UTAH 34-493		43-007-30778		STATE	GW	P
USA 34-434		43-007-30621		FEDERAL	1	P
UTAH 34-456		43-007-30713		STATE	GW	P
JSA 35-248		43-007-30582		FEDERAL		P
JSA 35-246 JSA 35-328		43-007-30583		FEDERAL		P
JSA 35-328 JSA 35-396		43-007-30584		FEDERAL		P
		43-007-30585		FEDERAL	<del></del>	P
USA 35-397				STATE	GW	P
UTAH 36-162		43-007-30315		STATE	GW	P
UTAH 36-163		43-007-30316				P
JTAH 36-164		43-007-30317		STATE	GW	P
UTAH 36-165		43-007-30318		STATE	GW	
UTAH 02-406		43-007-30606		STATE	GW	P
UTAH 02-405		43-007-30607		STATE	GW	P
UTAH 02-404		43-007-30608		STATE	GW	P
UTAH 02-403		43-007-30609		STATE	GW	P
RITZAKIS 03-408	03-14S-09E	43-007-30509	11256	FEE	GW	P
OPERATOR CHANGES DOCUMENTA  Enter date after each listed item is completed  1. (R649-8-10) Sundry or legal documentation was		MER operator of	on:	01/08/2003	-	
2. (R649-8-10) Sundry or legal documentation was	received from the <b>NEW</b>	operator on:	01/08/2003	3		
3. The new company has been checked through the	Department of Comm	erce, Division o	of Corpora	tions Databa	ase on:	02/03/20
4. Is the new operator registered in the State of Uta	th: YES	Business Numb	er.	562960-0143	3	

6. (R6	549-9-2) Waste Management Plan has been received on:	IN PLACE		
	Federal and Indian Lease Wells: The BLM and roperator change for all wells listed on Federal or Indian		approved 01/14/2003	the merger, name change,
8. ]	Federal and Indian Units: The BLM or BIA has approved the successor of unit op-	erator for wells li	sted on:	01/14/2003
9. ]	Federal and Indian Communization Agreem The BLM or BIA has approved the operator for all wells		CA on:	01/14/2003
10.	Underground Injection Control ("UIC") or the enhanced/secondary recovery unit/project for the			UIC Form 5, Transfer of Authority to Inject, n: N/A
	TA ENTRY: Thanges entered in the Oil and Gas Database on:	02/06/2003		
2. C	hanges have been entered on the Monthly Operator Ch	nange Spread Sh	eet on:	02/06/2003
3. B	ond information entered in RBDMS on:	N/A		
4. F	ee wells attached to bond in RBDMS on:	N/A		
	TE WELL(S) BOND VERIFICATION: tate well(s) covered by Bond Number:	8140-60-24		
	ERAL WELL(S) BOND VERIFICATION: ederal well(s) covered by Bond Number:	8015-16-69		, , , , , , , , , , , , , , , , , , , ,
	IAN WELL(S) BOND VERIFICATION: adian well(s) covered by Bond Number:	N/A		
	WELL(S) BOND VERIFICATION: 649-3-1) The NEW operator of any fee well(s) listed co	overed by Bond N	Number	6196922
	e <b>FORMER</b> operator has requested a release of liability e Division sent response by letter on:	from their bond N/A	on:	N/A
3. (Re	SE INTEREST OWNER NOTIFICATION: 649-2-10) The FORMER operator of the fee wells has be their responsibility to notify all interest owners of this characteristics.	een contacted an	d informed t	by a letter from the Division
COM	MENTS:			



State of Utah

# Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

MARY ANN WRIGHT Acting Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

March 3, 2005

CERTIFIED MAIL NO. 7002 0510 0003 8602 5818

Ms. Jean Semborski ConocoPhillips Company P.O. Box 851 Price, Utah 84501

Re: <u>Extended Shut-in and Temporarily Abandoned Well Requirements for</u> Fee or State Leases.

Dear Ms. Semborski:

As of March 2005, ConocoPhillips Company has two (2) State Lease Wells (see attachment A) that are in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Page 2 Ms. Jean Semborski March 3, 2005

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

Want

DKD:jc Attachment

cc:

John Baza

Well File

**SITLA** 

## ATTACHMENT A

	Well Name	Location	API	Lease Type	Years Inactive
1	Utah 34-510	SENE Sec 34-T13S-R9E	43-007-30506	State	1 Year 9 Months
2	Utah 02-404	NENW Sec 2-T14S-R9E	43-007-30608	State	1 Year 8 Months



ConocoPhillips Company 6825 South 5300 West P.O. Box 851 Price, UT 84501

> RECEIVED MAR 3 1 2005

DIV. OF OIL, GAS & MINING

March 30, 2005

Mr. Dustin Doucett, Petroleum Engineer Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801

RE: Utah 34-510 and Utah 2-404 status

#### Dear Dustin:

Based on your letter dated March 3, 2005, ConocoPhillips Company has evaluated the Utah 34-510 and Utah 2-404. The Utah 2-404 was placed back into production this week. This will remove it from shut-in status.

For the Utah 34-510, we feel that it is no longer economic to produce this well. Currently, we are in the process of obtaining partner approval and funding to plug this well. We would like to obtain their consent prior to submitting a notice to plug. We will submit a sundry for plugging and abandonment of the well when their consent has been obtained. We expect to receive the partners' response in 3-4 weeks.

Should you have any questions regarding this response please let me know.

Sincerely,

Jean Semborski

Construction/Asset Integrity Supervisor

In Substil.

Cc. J. Weaver, COPC

File



State of Utah

# Department of Natural Resources

MICHAEL R. STYLER Executive Director

# Division of Oil, Gas & Mining

MARY ANN WRIGHT Acting Division Director JON M. HUNTSMAN, JR.

GARY R. HERBERT Lieutenant Governor

May 2, 2005

Ms. Jean Semborski ConocoPhillips Company P.O. Box 851 Price, Utah 84501

Re: Extended Shut-in and Temporarily Abandoned Well Requirements for Fee or

State Leases dated March 3, 2005.

Dear Ms. Semborski:

The Division of Oil, Gas and Mining (the "Division") is in receipt of your letter dated March 30, 2005 (received by the Division 03/31/2005) in regards to the two (2) shut-in wells operated by ConocoPhillips Company ("COPC"). It is the Division's understanding that COPC plans to plug and abandon (P&A) the Utah 34-510 (API # 43-007-30506) this summer after obtaining partner approval. The second well, the Utah 02-404 (API # 43-007-30608) has been returned to production.

Based on the submitted plan of action, the Division grants COPC extended shut-in and temporarily abandoned status for the Utah 34-510 well. The extension for this well is valid through October 1, 2005 to allow time to accomplish the P&A work. Sundry Notice of Intents for the proposed work should be submitted to and approved by the Division prior to initiating work. If you have any questions or need additional assistance in regards to the above matters please contact me at (801) 538-5281.

Sincerely,

Dustin Doucet Petroleum Engineer

cc:

SITLA
Well File



## State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

June 3, 2014

Certified Mail No.7003 2260 0003 2358 6991

Ms. Donna Williams ConocoPhillips Company 600 N. Dairy Ashford Rd Houston, TX 77079-1175

Subject: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Ms. Donna Williams:

As of April 2014, ConocoPhillips Company has three (3) State Lease Wells and one (1) Fee Lease Well (see attachment A) that are currently in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status.

Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Please note that the Divisions preferred method for showing well integrity is by MIT.



Page 2 ConocoPhillips Company June 3, 2014

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

DKD/JP/js

cc: Compliance File Well File LaVonne Garrison, SITLA

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

# ATTACHMENT A

L	Well Name	API	LEASE	Years Inactive
1	UTAH 09-1237	43-007-31109	ML-45187	2 years 7 months
2	CRITCHLOW 34-868	43-007-31325	FEE	2 years 4 months
3	UTAH 31-175	43-015-30317	ML-43416	2 years 4 months
4	UTAH 02-404	43-007-30608	ML-47795	2 years 1 month

STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING  SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill new wells, significantly deepen existing wells below control to the proposals to drill new wells, significantly deepen existing wells below the proposals to drill new wells, significantly deepen existing the proposal to the proposals.  1. TYPE OF WELL  Gas Well  2. MANDE OF PREATOR: CONDOOPHILLIPS COMPANY  3. APPINIONARY  4. CARRON  3. APPINIONARY  4. CONTONOR OF PREATOR: CARRON  3. APPINIONARY  4. CARRON  3. APPINIONARY  5. CARRON  5. C						
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use if form for proposals to drill new wells, significantly deepen existing wells below  Control to the form for proposals to drill new wells, significantly deepen existing wells below  From Per Mill TO DRILL form for such proposals.  Let you not use the form for proposals to drill new wells, significantly deepen existing wells below  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such you want to the form for such proposals.  Let you not use the form for such proposals.  Let you not use the form for such you want to the proposals.  Let you not not actuar.  Let you not do not be the form for such you want to the proposal form for such your proposals.  Let you not not actuar.  Let you not not actuar.  Let you not not consider the form for such your proposals.  Let you not not actuar.  Let you not not consider the form for such your proposals.  Let you not not actuar.  Let you not not actuar.  Let you not not consider the form for your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not consider the form of your letter dated June.  Let you not not you not not the your not your letter dated June.  Let you not not you				FORM 9		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION PROPERTY OF TO DRILL form for such proposals.  1.TYPE OF WELL 2.NAME OF OPERATOR: CONCOOPHILIPS COMPANY  3.ADDRESS OF OPERATOR: CONCOOPHILIPS COMPANY  4.ALDRATOR OF WELL CONCOOPHILIPS COMPANY  4.ALDRATOR OF WELL CONCOOPHILIPS COMPANY  4.ADDRESS OF OPERATOR: CONCOOPHILIPS COMPANY (and MANDOR)  4.ADDRESS OF OPERATOR CONCOOPHILIPS COMPANY (and	ı		3			
DIVERSION DATES.  ILTYPE OF WELL GROWN DESCRIPTION TO SUDDITION SUDD	SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
ANAME OF POPERATOR:  CONDOCOPHILIPS COMPANY  3. ADDRESS OF OPERATOR:  CONDOCOPHILIPS COMPANY  3. ADDRESS OF OPERATOR:  CONDOCOPHILIPS COMPANY  3. ADDRESS OF OPERATOR:  CONDOCOPHILIPS COMPANY  4. LOCATION OF WELL  CONTROL STREET  CONTROL S	current bottom-hole depth, i	reenter plugged wells, or to drill horizontal I				
SADDRESS OF OPERATOR:  7-O. Box 51810, Midland, TX, 79710 1810  3. ADDRESS OF OPERATOR:  7-O. Box 51810, Midland, TX, 79710 1810  432 688-6943 Ext  COUNTY:  CARBON  CARRON  C	_					
ACCATION OF WELL LOCATION LOCATION OF WELL LOCATION OF WE		Y		1		
CARBON  STATE: UTATE OTRICITY SECTION, TOWNSHIP, RANGE, MERIDIAN: OTRICITY NEW Section: 02 Township: 14.05 Range: 09.0E Meridian: S  TYPE OF SUBMISSION  TYPE OF SUBMISSION    ACCOUNTY   CAMON REPAIR   ACCOUNTY   CAMON REPAIR   CAMON REPAIR   ACCOUNTY WILL STATUS   CAMON REPAIR   CAMON REPAIR   ACCOUNTY WELL STATUS REPAIR   CAMON REPAIR   ACCOUNTY WELL STATUS   CAMON REPAIR   ACCOUNTY WELL STATUS REPAIR   AC						
TYPE OF SUBMISSION  TYPE OF ACTION  TO HEAVY APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    ACIDIZE	FOOTAGES AT SURFACE:					
TYPE OF SUBMISSION    ACIDIZE   ALTER CASING   CASING REPAIR	QTR/QTR, SECTION, TOWNSH					
A ACIDIZE  A ACIDIZE  A ALTER CASING  CASING REPAIR  CHANGE TURNED  CHANGE TURNET	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
Approximate development is sure.  6/30/2014    CHANGE TO PREVIOUS PLANS	TYPE OF SUBMISSION		TYPE OF ACTION			
ASPICIALISES WILL WILL HANGE TO PREVIOUS PLANS    CHANGE TUBBRG	7	ACIDIZE	ALTER CASING	CASING REPAIR		
CAMAGE WELL STATUS	Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
Date of Work Completion:    OPERATOR CHANGE	0/30/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
OPERATOR CHANGE		DEEPEN DEEPEN	RACTURE TREAT	NEW CONSTRUCTION		
REPERFORATE CURRENT FORMATION   SIDETRACK TO REPAR WELL   TEMPORARY ABANDON   TUBING REPAIR   WATER DISPOSAL   WATER DISPOSAL   WATER DISPOSAL   WATER SHUTOFF   WILDCAT WELL DETERMINATION   OTHER   DIFFER S   OTHER: Plans    12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  ConocoPhillps Company is in receipt of your letter dated June 3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  NAME (PLEASE PRINT)		OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
Date of Spud:  REPERFORATE CURRENT FORMATION  DRILLING REPORT Report Date:  WATER SHUTOF  WATER SHUTOFF  WILDCAT WELL DETERMINATION  DTHER  TOTHER  TOTHER  TUBING REPORT Report Date:  WATER SHUTOFF  WATER DISPOSAL  WA	 	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
DRILLING REPORT Report Date:  WILDCAT WELL DETERMINATION  OTHER  OTHER  OTHER  OTHER  Table SCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  ConocoPhillps Company is in receipt of your letter dated June 3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  NAME (PLEASE PRINT) Donna Williams  PHONE NUMBER  TITLE Sr. Regulatory Specialist  SIGNATURE  DATE		REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
12. DESCRIBE PROPOSED OR COMPLETED DERATIONS. Clearly show all pertinent details including dates, depths, others, etc.  ConocoPhillps Company is in receipt of your letter dated June 3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  NAME (PLEASE PRINT)  Donna Williams  Phone NUMBER  TITLE  Signature  OTHER: Plans  TREQUEST DENIED  Utah Division of Oil, Gas and Mining  Please Review Attached Conditions of Approval  TITLE  Sr. Regulatory Specialist  Signature  Date		TUBING REPAIR	/ENT OR FLARE	WATER DISPOSAL		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  ConocoPhillps Company is in receipt of your letter dated June 3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  NAME (PLEASE PRINT) Donna Williams  PHONE NUMBER 432 688-6943  TITLE Sr. Regulatory Specialist  PATE  OTHER. Plans  REQUEST DENIED Utah Division of Oil, Gas and Mining August 28, 2014  By:  Please Review Attached Conditions of Approval		☐ WATER SHUTOFF ✓ S	SI TA STATUS EXTENSION	APD EXTENSION		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  ConocoPhillps Company is in receipt of your letter dated June 3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  NAME (PLEASE PRINT)  Donna Williams  PHONE NUMBER 432 688-6943  TITLE Sr. Regulatory Specialist  SIGNATURE  DATE	Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER: Plans		
ConocoPhillps Company is in receipt of your letter dated June 3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  Please Review Attached Conditions of Approval  NAME (PLEASE PRINT) Donna Williams  432 688-6943  PHONE NUMBER SIGNATURE  PATE  PATE  REQUEST DENIED Utah Division of Oil, Gas and Mining August 28, 2014  By:  Please Review Attached Conditions of Approval	12 DESCRIBE PROPOSED OR		rtinent details including dates d	<u>'</u>		
3, 2014 regarding the shut in status of the above well. The well is being reviewed for potential downhole. If deemed no potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.    Name (Please Print)						
potential, it is our intent to plug and abandon the above well by December 1, 2014 with an approved NOI.  Please Review Attached Conditions of Approval  NAME (PLEASE PRINT) Donna Williams  432 688-6943  PHONE NUMBER Sr. Regulatory Specialist  SIGNATURE  DATE		• •	well. The Uta	h Division of		
by December 1, 2014 with an approved NOI.    By:     By:     By:     By:     By:   B		•	Scilica 110			
Please Review Attached Conditions of Approval  NAME (PLEASE PRINT) Donna Williams  PHONE NUMBER 432 688-6943  PITLE Sr. Regulatory Specialist  SIGNATURE  DATE			Date:	gust 28, 2014		
NAME (PLEASE PRINT) Donna Williams PHONE NUMBER Sr. Regulatory Specialist  DATE  DATE	by Decemb	er 1, 2014 with an approved NC	)I	1110		
NAME (PLEASE PRINT) Donna Williams PHONE NUMBER Sr. Regulatory Specialist  DATE  DATE			Ву:	Gr L Just		
NAME (PLEASE PRINT) Donna Williams PHONE NUMBER Sr. Regulatory Specialist  DATE  DATE						
NAME (PLEASE PRINT) Donna Williams PHONE NUMBER Sr. Regulatory Specialist  DATE  DATE						
NAME (PLEASE PRINT) Donna Williams PHONE NUMBER Sr. Regulatory Specialist  DATE  DATE			Please Revi	ew Attached Conditions of Approval		
Donna Williams 432 688-6943 Sr. Regulatory Specialist  SIGNATURE DATE			Tiense Iter	th ittations of approval		
Donna Williams 432 688-6943 Sr. Regulatory Specialist  SIGNATURE DATE						
Donna Williams 432 688-6943 Sr. Regulatory Specialist  SIGNATURE DATE						
Donna Williams 432 688-6943 Sr. Regulatory Specialist  SIGNATURE DATE						
Donna Williams 432 688-6943 Sr. Regulatory Specialist  SIGNATURE DATE	NAME (DI EASE DRINT)	DUONE NUMBER	TITI E			
			1			
			1			



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

Sundry Conditions of Approval Well Number 43007306080000

Insufficient information provided to approve request. Need a showing of integrity as specified in R649-3-36-1.3.

RECEIVED: Aug. 28, 2014

			FORM 9		
	STATE OF UTAH		FORM 9		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	G	5.LEASE DESIGNATION AND SERIAL NUMBER: ML-47795		
SUNDR	RY NOTICES AND REPORTS ON	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: DRUNKARDS WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: UTAH 02-404		
2. NAME OF OPERATOR: CONOCOPHILLIPS COMPAN	IY		9. API NUMBER: 43007306080000		
3. ADDRESS OF OPERATOR: P.O. Box 51810, Midland,		ONE NUMBER: -6943 Ext	9. FIELD and POOL or WILDCAT: DRUNKARDS WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1732 FWL			COUNTY: CARBON		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 02 Township: 14.0S Range: 09.0E Meridiar	n: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
10/1/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:					
	☐ OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Nopon Suio.	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
ConocoPhillips Con	completed operations. Clearly show all penpany respectfully submits a pinn the above well. Please see a	rocedure to Apprint trached.  Oil, Control Date:  By:	lepths, volumes, etc.  Proved by the lab Division of leas and Mining leptember 17, 2014  Lew Attached Conditions of Approval		
NAME (PLEASE PRINT) Donna Williams SIGNATURE	<b>PHONE NUMBER</b> 432 688-6943	TITLE Sr. Regulatory Specialist  DATE			
N/A		9/8/2014			



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Sundry Conditions of Approval Well Number 43007306080000

- 1. Notify the Division at least 24 hours prior to conducting abandonment operations. Please call Dan Jarvis at 801-538-5338.
  - 2. All annuli shall be cemented from a minimum depth of 100' to the surface.
  - 3. Surface reclamation shall be done in accordance with R649-3-34 Well Site Restoration.
  - 4. All requirements in the Oil and Gas Conservation General Rule R649-3-24 shall apply.
- 5. If there are any changes to the procedure or the wellbore configuration, notify Dustin Doucet at 801-538-5281 (ofc) or 801-733-0983 (home) prior to continuing with the procedure.
- 6. All other requirements for notice and reporting in the Oil and Gas Conservation General Rules shall apply.

3100 TVD:

TD:

PBTD:

3049

9/9/2014 Wellbore Diagram r263 API Well No: 43-007-30608-00-00 Permit No: Well Name/No: UTAH 02-404 Company Name: CONOCOPHILLIPS COMPANY Location: Sec: 2 T: 14S R: 9E Spot: NENW **String Information** Length **Bottom** Diameter Weight Coordinates: X: 509851 Y: 4388075 String (ft sub) (inches) (lb/ft) Field Name: DRUNKARDS WASH HOL1 15 County Name: CARBON Plug # 3 STC. (100 S. X1.15 (5.192) = 59.7 HOLZ TOC @ SFC HOL3 COND 7 12.75 11 314 314 3049 Conductor: 12.75 in. @ 7 ft. PROD 3049 Hole: 15 in. @ 7 ft. 2874 2.875 Cement from 314 ft. to surface Surface: 8.625 in. @ 314 ft. Hole: 11 in, @ 314 ft. Cement Information TOC BOC String Class Sacks (ft sub) (ft sub) PC 300 **PROD** 3049 3049 **PROD** 2450 TR 85 G 150 **SURF** 314 **Perforation Information** Top **Bottom** Shts/Ft No Shts Dt Squeeze (ft sub) (ft sub) 2792 Plug # 2 INSIDE: (2395x X1-15 X7.661) = 2105' TOC@ SFC OUT: (3445x X1.6 X4.1537) = 2286' VO.K. 21001 FRSD 2281 **Formation Information** toc 2450' **Formation** Depth **FRSD** 2281 TNUNK 2937 **BLUGT** 3500 Cement from 3049 ft. to surface (616x X1.15 X7.661) = 537'

TOC @ 2100'

10.K. Tubing: 2.875 in. @ 2874 ft. 2792 / Production: 5.5 in. @ 3049 ft Hole: 7.875 in. @ 3049 ft. Hole: Unknown

#### Well Intervention Procedure:


Our work is never so urgent or important that we cannot take the time to do it safely and in an environmentally prudent manner.

Perform job safety analysis prior to starting work each day and prior to all critical operations.

#### STAGE 1:

- 1. Test anchors as needed.
- 2. LOTO production equipment and production flowlines. Coordinate with production MSO to secure well.
- MIRU WSU.
- 4. Check casing/tubing pressure, bleed off any trapped pressure.
- 5. COOH w/ rod string and pump.
- Kill casing per SOP.
- 7. ND wellhead.
- 8. NU BOP and test.
- 9. POOH w/ 2-7/8" production tubing.
- 10. RIH w/ scraper to 2650' and POOH.
- 11. RIH w/ Cast Iron Bridge Plug (CIBP) and set at 2635'.
- 12. RIH w/ open ended tbg and spot 61 sx Class G cement plug from 2635' to 2100'.
- 13. POOH to 2100' and reverse circulate hole clean.
- 14. POOH and WOC for 24 hours.
- 15. RIH w/ bit and scraper to TOC, ~2100' and circulate hole clean. Pressure test csg and cement to 1000 psi for 15 minutes. POOH.
- 16. RU Wireline (W/L). Perforate 2070'-2075' with 4 spf and POOH w/ W/L.
- 17. Establish injection rate down csg and circulate to surface.
- 18. RIH w/ cement retainer (CR) on W/L and set retainer at +/- 2050' (correlate to CBL dated July 5, 2001).
- 19. PU stinger and RIH to CR, sting into retainer and pressure test 5-1/2" csg above the retainer to 1000 psi and maintain 1000 psi on annulus during pumping operations. Open surface valves and establish injection rate into perforations looking for circulation to surface. Monitor volume pumped until we get returns to surface. Pump two annular volumes of water (130 bbls) at 3-4 bpm followed by a 20 bbl mud flush.
- 20. Pump 344 sx (annular volume +50%) of 14.2 ppg thixotropic cement with 1% calcium (yield of 1.6 cuft/sx) until we get good cement to surface, close the annulus valve and continue pumping cement until a squeeze is obtained or until we pump 300 sx following closure of the annulus valve or we reach a pump pressure of 2000 psi.
- 21. Back out from CR, reverse circulate hole clean and POOH.
- 22. Remove stinger and RIH open ended with 2-7/8" tbg. Spot 239 sx of Class G inside the 5-1/2" csg bringing cement to surface. POOH with tbg and LD.
- 23. ND BOP
- 24. RDMO WSU. WOC for 24 hours.
- 25. Connect pump truck to 5-1/2" x 8-5/8" annulus and attempt a pump in test. If we can pump into the annulus, mix 100 sx of Class G and pump into annulus. WOC 24 hours and conduct another pump in test if needed. Re-cement as necessary until we have a cement plug to surface in the 5-1/2" x 8-5/8" csg annlus.
- 26. Cut csg below surface, install P&A marker.
- 27. Remove rig anchors and restore location per Utah/BLM requirement.
- 28. Complete WellView entries for job.

#### Wellbore Schematic - Current vs. Proposed



### Contacts

Production Engineer	Beau Moore	Office Mobile	(303) 268-3750 (307) 277-0339
Project Lead	Jason Bennett	Mobile	(435) 630-4071
Nabors Rig Lead	Travis Gray	Mobile	(435) 823-6844
Reservoir Engineer	Ashlee Ferrel	Office	(832) 486-2731
Project Foreman	Shaun Hammer	Office	(435) 613-2904
Production Foreman	Gilbert Vasquez	Mobile Office	(435) 636-5262 (435) 613-2910
PE Supervisor	Luis Campos	Mobile Office	(435) 820-6276 (303) 268-3725
Operations Superintendent	Kevin Junso	Mobile Office Mobile	(432) 202-6153 (435) 613-2903
		MADDIE	(406) 891-6403

Sundry Number: 58639 API Well Number: 43007306080000

STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES  DIVISION OF OIL, GAS, AND MINING		FORM 9		
		<del></del>	5.LEASE DESIGNATION AND SERIAL NUMBER: ML-47795	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME: DRUNKARDS WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: UTAH 02-404	
2. NAME OF OPERATOR: CONOCOPHILLIPS COMPANY			9. API NUMBER: 43007306080000	
<b>3. ADDRESS OF OPERATOR:</b> P.O. Box 51810, Midland, TX, 79710 1810  PHONE NUMBER: 432 688-6943 Ext			9. FIELD and POOL or WILDCAT: DRUNKARDS WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0816 FNL 1732 FWL			COUNTY: CARBON	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 02 Township: 14.0S Range: 09.0E Meridian: S			STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
11/11/2014	OPERATOR CHANGE	✓ PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
·	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
40.000000000000000000000000000000000000				
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Workover-11/6-11/2014: MIRU POOH w/rods. NDU BOP and test. RIH w/bit and scraper to 2696. RIH w/CR to 2635. Pump 61 sxs Class B cmt from 2635-2096. WOC. RIH w/wireline to 2070. Shoot 6 perfs at 2070. Unable to establish injection. Consult w/DOGM and COP. RIH w/tbg to CT at 2110'. Pump 119 sxw 15.6# Class B cmt. POOH w/tbg to 901. Reverse circulate hole clean. Pump 61 sxs 15.6# Class B. POOH w/tbg to 375' bringing cmt to surface. Pressure up to 1250#. Try to squeeze cmt out perfs and was unable to. Cut csg off 4' below surface for dry hole marker. DOGM representative witnessed operation.				
NAME (PLEASE PRINT) Donna Williams	<b>PHONE NUMBE</b> 432 688-6943	FR TITLE Sr. Regulatory Specialist		
SIGNATURE N/A		<b>DATE</b> 12/8/2014		